

EBU AUTO

BYD Seal 06 DM-i 2026 MAX DM-i Standard Version

2024-2026 BYD Seal 06 DM-i | Plug-in Hybrid / DM-i PHEV | Mid-size Sedan

| Item | Value |
|----------------------|-------------------|
| Official Guide Price | Ask / Confirm |
| USD Reference Price | Ask / Confirm |
| Drive | Front-mounted FWD |
| CLTC EV Range | 170 km |
| Combined Range | - |
| Battery | 25.28 kWh |
| Motor Power | 175 kW |
| Transmission | E-CVT |
| Body | Mid-size Sedan |

Basic Information

| Parameter | Value |
|--|---|
| Official Guide Price | - |
| Manufacturer | BYD |
| Segment | Mid-size car |
| Energy Type | Plug-in hybrid |
| Launch Time | - |
| Engine Description | 1.5 L 101 hp L4 Plug-in hybrid |
| MIIT Pure Electric Range (km) | 170 |
| WLTC Pure Electric Range (km) | 170 |
| CLTC Pure Electric Range (km) | - |
| MIIT Combined Range (km) | - |
| CLTC Combined Range (km) | - |
| Charging | DC fast charging20 min AC charging3.8 h |
| Fast Charging Window (%) | 30-80 |
| Engine Maximum Power (kW) | 74(101 Ps) |
| Motor Maximum Power (kW) | 175(238 Ps) |
| Engine Maximum Torque (N-m) | 126 |
| Motor Maximum Torque (N-m) | 270 |
| Transmission | E-CVT |
| Length x Width x Height (mm) | 4870 x 1890 x 1495 |
| Body Structure | 45 |
| Maximum Speed (km/h) | 185 |
| Official 0-100 km/h Acceleration (s) | - |
| WLTC(L/100km) | - |
| Electricity Consumption (kWh/100 km) | 14.7 |
| Electric Energy Equivalent Fuel Consumption (L/100 km) | 1.71 |
| (L/100km) | - |
| (L/100km)WLTC | 3.63 |

| Parameter | Value |
|------------------|-------|
| (L/100km)NEDC | 2.79 |
| Vehicle Warranty | 615 |
| 6 | - |

Engine

| Parameter | Value |
|-------------------------|---------------------|
| Engine Model | BYD472 QC |
| Displacement (mL) | 1498 |
| Displacement (L) | 1.5 |
| Aspiration | Naturally aspirated |
| Engine | - |
| Cylinder Arrangement | L |
| Number of Cylinders | 4 |
| Valves per Cylinder | 4 |
| Compression Ratio | - |
| Valvetrain | DOHC |
| Maximum Horsepower (Ps) | 101 |
| Maximum Power (kW) | 74 |
| Maximum Net Power (kW) | 70 |
| Maximum Power RPM | 6000 |
| Maximum Torque (N-m) | 126 |
| Maximum Torque RPM | 4500 |
| Engine | - |
| Fuel Type | Plug-in hybrid |
| Fuel Grade | 92# |
| Fuel Supply System | - |
| Cylinder Head Material | Aluminum alloy |
| Cylinder Block Material | Aluminum alloy |
| Emission Standard | VI |

Body

| Parameter | Value |
|------------------|---------------------------|
| (mm) | 4870 |
| (mm) | 1890 |
| (mm) | 1495 |
| Wheelbase (mm) | 2820 |
| Front Track (mm) | 1620 |
| Rear Track (mm) | 1620 |
| Minimum (mm) | - |
| Body Structure | - |
| Number of Doors | 4 |
| Door | Conventional hinged doors |
| Number of Seats | 5 |

| Parameter | Value |
|---------------------------|-------|
| Curb Weight (kg) | 1685 |
| Gross Vehicle Weight (kg) | 2110 |
| Fuel Tank Capacity (L) | - |
| (L) | - |
| Minimum | - |
| (Cd) | - |

Electric Motor

| Parameter | Value |
|----------------------------------|--------------------------------|
| Motor Description | Plug-in hybrid 238 hp |
| Type | Permanent magnet / synchronous |
| Total Motor Power (kW) | 175 |
| Total Motor Horsepower (Ps) | 238 |
| Total Motor Torque (N-m) | 270 |
| Front Motor Maximum Power (kW) | 175 |
| Front Motor Maximum Torque (N-m) | 270 |
| Number of Drive Motors | Single motor |
| Motor Layout | Front-mounted |

Battery / Charging

| Parameter | Value |
|---|--|
| Battery Type | LFP battery |
| Battery Technology | Blade battery |
| Battery Cell Brand | - |
| Battery Pack Warranty | Lifetime warranty for the first owner (official exemption terms apply) |
| Battery Capacity (kWh) | 25.28 |
| Battery Energy Density (Wh/kg) | - |
| Battery Charging | - |
| Battery Charging | DC fast charging20 min AC charging3.8 h; • DC fast charging |
| Battery Charging Charging | DC fast charging20 min AC charging3.8 h |
| Battery Charging | • DC fast charging |
| Maximum Power (kw) | 48 |
| DC Charging Port Position | Right rear side |
| DC Charging Port Position (Right rear side) | Right rear side |
| AC Charging Port Position | Right rear side |
| AC Charging Port Position (Right rear side) | Right rear side |
| Battery System | ● Standard |
| Battery System | Liquid cooling |
| One-pedal Mode | - |
| VTOLFunction | ● Standard |
| VTOLMaximum Power | 6 kW |
| VTOVMaximum Power | - |

Transmission

| Parameter | Value |
|--------------------------|------------|
| Transmission Description | E-CVT |
| Number of Gears | CVT |
| Transmission Type | CVT(E-CVT) |

Chassis / Steering

| Parameter | Value |
|------------------------|-------------------------|
| Drive Type | Front-mounted FWD |
| Front | - |
| Rear | - |
| Type | Electric power steering |
| Vehicle Body Structure | Unibody |

Wheels / Brakes & Features

| Parameter | Value |
|--------------------------------|--------------------|
| Front Brake Type | Ventilated disc |
| Rear Brake Type | Disc |
| Parking Brake Type | Electronic parking |
| Front Tire Size | 225/50 R18 |
| Rear Tire Size | 225/50 R18 |
| Spare Tire Specification | - |
| Active Safety | - |
| ABS | - |
| (EBD/CBC) | - |
| Assist (EBA/BA) | - |
| Control (TCS/ASR) | - |
| Body System (ESP/DSC) | - |
| System | - |
| System | - |
| System Front | - |
| System Rear | - |
| System | - |
| System DOW | - |
| System Front | - |
| System Front | - |
| Autonomous Emergency Braking | - |
| Blind Spot Monitoring | - |
| Assist System | - |
| Lane Centering | - |
| Driving | - |
| DMS | - |
| In-cabin Vital Signs Detection | - |
| Traffic Sign Recognition | - |

| Parameter | Value |
|--|-------|
| Traffic Light Recognition | - |
| System | - |
| Passive Safety | - |
| Front Airbag | - |
| Front Airbag Driving | - |
| Front Airbag Driving | - |
| Airbag | - |
| Airbag Front | - |
| Side Curtain Airbags | - |
| Front Airbag | - |
| Airbag | - |
| Airbag Front | - |
| Seat Belt Reminder | - |
| System | - |
| Seat (ISOFIX) | - |
| Pedestrian Protection | - |
| Tire | - |
| Assist /Feature | - |
| Radar | - |
| Radar Front | - |
| Radar Rear | - |
| Front | - |
| Assist | - |
| Driving Assist Camera View | - |
| Driving Assist Camera View Camera View | - |
| Driving Assist Camera View 360°Camera View | - |
| Driving Assist Camera View Camera View | - |
| Cruise System | - |
| Cruise System Cruise | - |
| Cruise System Cruise | - |
| Cruise System Cruise | - |
| Automatic Assist | - |
| Automatic ■■ | - |
| Assist Driving | - |
| Assist Driving | - |
| Assist Driving | - |
| Automatic | - |
| Reverse Track Assist | - |
| Memory Parking | - |
| Automatic | - |
| Automatic (AUTOHOLD) | - |
| Assist (HAC) | - |
| (HDC) | - |

| Parameter | Value |
|--|-------|
| Engine | - |
| Adjustable Suspension | - |
| Air Suspension | - |
| Type | - |
| Electromagnetic Suspension | - |
| System | - |
| Front | - |
| Rear | - |
| Function | - |
| System | - |
| Driving | - |
| Driving | - |
| Driving | - |
| Driving ECO/ | - |
| Driving | - |
| System | - |
| Comfort Brake | - |
| Low-speed Acoustic Alert | - |
| Feature | - |
| Sunroof Type | - |
| Intelligent | - |
| Roof Rails | - |
| Sport Appearance Package | - |
| Power Spoiler | - |
| Active Grille Shutter | - |
| Alloy Wheels | - |
| Door | - |
| Hidden Door Handles | - |
| Tow Hook | - |
| Feature | - |
| Steering Wheel Material | - |
| Steering Wheel Material | - |
| Steering Wheel | - |
| Steering Wheel | - |
| Steering Wheel Function | - |
| Steering Wheel Function Function Control | - |
| Gear Selector Type | - |
| Gear Selector Type (Electronic column shifter) | - |
| Gear Selector Type (Electronic gear selector) | - |
| Instrument Cluster Style | - |
| Size () | - |
| Size () 8.8 | - |
| /Feature | - |

| Parameter | Value |
|-------------------------------|-------|
| Soft-close Doors | - |
| Rear | - |
| Rear | - |
| Rear | - |
| Engine | - |
| Central Lock | - |
| Key Type | - |
| Key Type Intelligent Key | - |
| Key Type Key | - |
| Key Type NFC/RFIDKey | - |
| Key | - |
| Key | - |
| Remote | - |
| Remote Vehicle Move | - |
| Function | - |
| System (HUD) | - |
| Built-in Driving Recorder | - |
| ETC | - |
| Active Noise Cancellation | - |
| Charging | - |
| Charging Maximum Power (W) | - |
| Charging Maximum Power (W) 15 | - |
| Charging Maximum Power (W) 50 | - |
| 110V/220V/230V | - |
| 12V | - |
| Seat Feature | - |
| Seat Material | - |
| Seat | - |
| Seat | - |
| Seat | - |
| Seat | - |
| Seat Driving | - |
| Seat Driving | - |
| Rear Seat | - |
| Seat | - |
| Seat Front Rear | - |
| Seat | - |
| Seat | - |
| Seat | - |
| Seat | - |
| Seat | - |
| Seat | - |
| Seat | - |
| Seat Front Rear | - |
| Seat | - |

| Parameter | Value |
|--|-------|
| Seat | - |
| Seat | - |
| Seat | - |
| Seat | - |
| Front Seat Function | - |
| Front Seat Function | - |
| Front Seat Function | - |
| Front Seat Function (Driving) | - |
| Seat Function | - |
| Boss Button | - |
| Front /Rear | - |
| Front /Rear Front | - |
| Front /Rear Rear | - |
| Rear | - |
| / | - |
| Rear Seat | - |
| Second-row Tray Table | - |
| Intelligent | - |
| Size () | - |
| Material | - |
| Material LCD | - |
| / | - |
| System | - |
| AR | - |
| Navigation Traffic Information Display | - |
| Map | - |
| Map | - |
| Map | - |
| Roadside Assistance Service | - |
| / | - |
| Smartphone Connectivity / Mirroring | - |
| HUAWEI HiCar | - |
| Carlink | - |
| Connected Vehicle | - |
| 4G/5G | - |
| 4G/5G 5G | - |
| 4G/5G 4G | - |
| OTA | - |
| Face Recognition | - |
| Fingerprint Recognition | - |
| Voiceprint Recognition | - |
| Emotion Recognition | - |
| Control System | - |

| Parameter | Value |
|--------------------------------------|-------|
| Function | - |
| Function | - |
| Function | - |
| Continuous Voice Recognition | - |
| Visible-to-speak Function | - |
| Voice Assistant Wake-up Words | - |
| Control Function | - |
| Wi-Fi | - |
| Audio / Video Entertainment | - |
| Multi-finger Screen Transfer Control | - |
| App Store | - |
| Multimedia Interface | - |
| SD | - |
| USB/Type-C | - |
| USB/Type-CQuantity | - |
| USB/Type-CQuantity Front 2 | - |
| USB/Type-CQuantity Rear 2 | - |
| USB/Type-CMaximum Charging Power | - |
| In-car TV | - |
| Rear | - |
| Simulated Sound | - |
| KFunction | - |
| Audio Brand | - |
| Quantity () | - |
| Rear Control | - |
| Feature | - |
| Low Beam | - |
| High Beam | - |
| Daytime Running Lights | - |
| Adaptive High / Low Beam | - |
| Automatic | - |
| Assist | - |
| Front | - |
| (AFS) | - |
| Headlight Height Adjustment | - |
| Function | - |
| Interior Ambient Lighting | - |
| Active Ambient Lighting | - |
| Active Ambient Lighting (Standard) | - |
| Function | - |
| Light Projection Technology | - |
| Headlight Delay-off | - |
| Front | - |

| Parameter | Value |
|------------------------------|-------|
| /Rear | - |
| Power Windows | - |
| Front | - |
| Rear | - |
| One-touch Window Operation | - |
| Function | - |
| Rear Function | - |
| Rear Function | - |
| Rear Function | - |
| Rear Function | - |
| Rear Function | - |
| Rear Function Automatic | - |
| Rear Function Automatic | - |
| Rear Function | - |
| Rear Function Automatic | - |
| Interior Vanity Mirror | - |
| Driving + | - |
| Driving + | - |
| Driving + | - |
| Driving + | - |
| Rear | - |
| Interior Sunshade | - |
| Rain-sensing Wipers | - |
| Rear | - |
| Multi-layer Soundproof Glass | - |
| Front | - |
| Heated Washer Nozzles | - |
| / | - |
| Control | - |
| Rear | - |
| Rear | - |
| Control | - |
| Control | - |
| In-car Air Purifier | - |
| PM2.5 | - |
| Negative Ion Generator | - |
| Interior Fragrance System | - |
| AQSSystem | - |
| In-car Refrigerator | - |
| Function | - |
| Function | - |
| Function | - |
| Function | - |

Intelligent Features

| Parameter | Value |
|------------------------------------|-------|
| Assist Driving System | - |
| Assist Driving System DiPilot 100 | - |
| Assist Driving System DiPilot | - |
| Assist Driving | - |
| Assist Driving NVIDIA DRIVE Orin N | - |
| Assist Driving (TOPS) | - |
| Assist Driving (TOPS) 84 | - |
| Intelligent System | - |
| Intelligent System DiLink | - |
| Intelligent | - |
| Intelligent D100 | - |
| System (GB) | - |
| System (GB) 12 | - |
| System (GB) | - |
| System (GB) 256 | - |
| AppRemote Control | - |
| AppRemote Control Key | - |
| AppRemote Control Remote Control | - |
| AppRemote Control | - |
| AppRemote Control Charging | - |
| AppRemote Control | - |
| System | - |
| Front Maximum (m) | - |
| Front Maximum (m) 350 | - |
| Camera Quantity () | - |
| Camera | - |
| Camera 800*3 | - |
| Camera | - |
| Radar Quantity () | - |
| Radar Quantity () | - |
| System | - |
| Map | - |
| ■■■ | - |
| V2X | - |
| Optional Package | - |
| Custom Options | - |