

EBU AUTO

2024-2026 BYD Yuan UP / Atto 2

2024-2026 BYD Yuan UP / Atto 2 small electric SUV specs, trims, prices and PDF download.

Price Range: RMB 74,800 - RMB 119,800 / USD 11,000 - USD 17,618

Trim	Year	Price (RMB)	Price (USD)	Range	Battery	Drive
2025 301 km Navigation	2025	RMB 74,800	USD 11,000	301 km	32	Front-mountedFWD
2025 Smart Driving 401 km Vitality	2025	RMB 99,800	USD 14,676	401 km	45.12	Front-mountedFWD
2025 Smart Driving 401 km Leading	2025	RMB 109,800	USD 16,147	401 km	45.12	Front-mountedFWD
2025 Smart Driving 401 km Beyond	2025	RMB 119,800	USD 17,618	401 km	45.12	Front-mountedFWD
2024 401 km Leading	2024	RMB 109,800	USD 16,147	401 km	45.12	Front-mountedFWD
2024 401 km Beyond	2024	RMB 119,800	USD 17,618	401 km	45.12	Front-mountedFWD
2024 301 km Leading	2024	RMB 96,800	USD 14,235	301 km	32	Front-mountedFWD
2024 401 km Vitality	2024	RMB 99,800	USD 14,676	401 km	45.12	Front-mountedFWD
2026 Base	2026	Ask / Confirm	Ask / Confirm	-	-	Front-mountedFWD
2026 Premium	2026	Ask / Confirm	Ask / Confirm	-	-	Front-mountedFWD

Basic Information

Parameter	2025 301 km Navigation	2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond	2024 401 km Leading
Official Guide Price	7.48	9.98	10.98	11.98	10.98
Manufacturer	BYD	BYD	BYD	BYD	BYD
Segment	Small SUV	Small SUV	Small SUV	Small SUV	Small SUV
Energy Type	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric
Launch Time	2025.07	2025.02	2025.02	2025.02	2024.03
Motor Description	Pure electric 95 hp	Pure electric 95 hp	Pure electric 177 hp	Pure electric 177 hp	Pure electric 177 hp
MIIT Pure Electric Range (km)	301	401	401	401	401
CLTC Pure Electric Range (km)	301	401	401	401	401
Charging	30 min	30 min	30 min	30 min	30 min
Fast Charging Window (%)	30-80	30-80	30-80	30-80	30-80
Maximum Power (kW)	70(95Ps)	70(95Ps)	130(177Ps)	130(177Ps)	130(177Ps)
Maximum Torque (N·m)	180	180	290	290	290
Transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission
Length × Width × Height (mm)	4310x1830x1675	4310x1830x1675	4310x1830x1675	4310x1830x1675	4310x1830x1675
Body Structure	55SUV	55SUV	55SUV	55SUV	55SUV
Maximum Speed (km/h)	150	160	160	160	160
0—50Km/h(s)	4.3	4.6	3.1	3.1	3.1
Official 0-100 km/h Acceleration (s)	12	12.9	7.9	7.9	7.9
Electricity Consumption (kWh/100 km)	12	12.2	12.2	12.2	12.2
Electric Energy Equivalent Fuel Consumption (L/100 km)	1.39	1.42	1.42	1.42	1.38
Vehicle Warranty	615	615	615	615	615
6	1998.0	1998.0	1998.0	1998.0	1998.0

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Official Guide Price	11.98	9.68	9.98	-	-
Manufacturer	BYD	BYD	BYD	BYD	BYD
Segment	Small SUV	Small SUV	Small SUV	Small SUV	Small SUV
Energy Type	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric
Launch Time	2024.03	2024.03	2024.07	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Motor Description	Pure electric 177 hp	Pure electric 95 hp	Pure electric 95 hp	Pure electric 136 hp	Pure electric 163 hp
MIIT Pure Electric Range (km)	401	301	401	-	-
CLTC Pure Electric Range (km)	401	301	401	-	-
Charging	30 min	30 min	30 min	-	-
Fast Charging Window (%)	30-80	30-80	30-80	-	-
Maximum Power (kW)	130(177Ps)	70(95Ps)	70(95Ps)	100(136Ps)	120(163Ps)
Maximum Torque (N·m)	290	180	180	-	-
Transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission
Length x Width x Height (mm)	4310x1830x1675	4310x1830x1675	4310x1830x1675	4335x1830x1675	4335x1830x1675
Body Structure	55SUV	55SUV	55SUV	55SUV	55SUV
Maximum Speed (km/h)	160	150	160	160	160
0—50km/h(s)	3.1	4.3	4.6	-	-
Official 0-100 km/h Acceleration (s)	7.9	12	12.9	-	-
Electricity Consumption (kWh/100 km)	12.2	12	12.2	-	-
Electric Energy Equivalent Fuel Consumption (L/100 km)	1.38	1.36	1.36	-	-
Vehicle Warranty	615	615	615	-	-
6	1998.0	1998.0	1998.0	-	-

Body

Parameter	2025 301 km Navigation	2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond	2024 401 km Leading
(mm)	4310	4310	4310	4310	4310
(mm)	1830	1830	1830	1830	1830
(mm)	1675	1675	1675	1675	1675
Wheelbase (mm)	2620	2620	2620	2620	2620
Front Track (mm)	1570	1570	1570	1570	1570
Rear Track (mm)	1570	1570	1570	1570	1570
Minimum (mm)	-	-	-	-	-
Body Structure	SUV	SUV	SUV	SUV	SUV
Number of Doors	5	5	5	5	5
Door	Conventional hinged doors	Conventional hinged doors	Conventional hinged doors	Conventional hinged doors	Conventional hinged doors
Number of Seats	5	5	5	5	5
Curb Weight (kg)	1430	1520	1540	1540	1540
Gross Vehicle Weight (kg)	1805	1895	1915	1915	1915
Trunk Capacity (L)	1320	1320	1320	1320	1320
Minimum	5.25m	5.25m	5.25m	5.25m	5.25m

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
(mm)	4310	4310	4310	4335	4335
(mm)	1830	1830	1830	1830	1830
(mm)	1675	1675	1675	1675	1675
Wheelbase (mm)	2620	2620	2620	2620	2620
Front Track (mm)	1570	1570	1570	1565	1565
Rear Track (mm)	1570	1570	1570	1565	1565
Minimum (mm)	-	-	-	-	-
Body Structure	SUV	SUV	SUV	SUV	SUV
Number of Doors	5	5	5	5	5
Door	Conventional hinged doors	Conventional hinged doors	Conventional hinged doors	Conventional hinged doors	Conventional hinged doors
Number of Seats	5	5	5	5	5
Curb Weight (kg)	1540	1430	1520	1525	1615

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Gross Vehicle Weight (kg)	1915	1805	1895	1940	2030
Trunk Capacity (L)	1320	1320	1320	-	-
Minimum	5.25m	5.25m	5.25m	-	-

Electric Motor

Parameter	2025 301 km Navigation	2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond	2024 401 km Leading
Motor	Pure electric 95 hp	Pure electric 95 hp	Pure electric 177 hp	Pure electric 177 hp	Pure electric 177 hp
Type	Permanent magnet / synchronous	Permanent magnet / synchronous	Permanent magnet / synchronous	Permanent magnet / synchronous	Permanent magnet / synchronous
Total Motor Power (kW)	70	70	130	130	130
Total Motor Horsepower (Ps)	95	95	177	177	177
Total Motor Torque (N-m)	180	180	290	290	290
Front Motor Maximum Power (kW)	70	70	130	130	130
Front Motor Maximum Torque (N-m)	180	180	290	290	290
Number of Drive Motors	Single motor	Single motor	Single motor	Single motor	Single motor
Motor Layout	Front-mounted	Front-mounted	Front-mounted	Front-mounted	Front-mounted

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Motor	Pure electric 177 hp	Pure electric 95 hp	Pure electric 95 hp	Pure electric 136 hp	Pure electric 163 hp
Type	Permanent magnet / synchronous	Permanent magnet / synchronous	Permanent magnet / synchronous	Permanent magnet / synchronous	Permanent magnet / synchronous
Total Motor Power (kW)	130	70	70	100	120
Total Motor Horsepower (Ps)	177	95	95	136	163
Total Motor Torque (N-m)	290	180	180	-	-
Front Motor Maximum Power (kW)	130	70	70	100	120
Front Motor Maximum Torque (N-m)	290	180	180	-	-
Number of Drive Motors	Single motor	Single motor	Single motor	Single motor	Single motor
Motor Layout	Front-mounted	Front-mounted	Front-mounted	Front-mounted	Front-mounted

Battery / Charging

Parameter	2025 301 km Navigation	2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond	2024 401 km Leading
Battery Type	LFP battery	LFP battery	LFP battery	LFP battery	LFP battery
Battery Technology	Blade battery	Blade battery	Blade battery	Blade battery	Blade battery
Battery Cell Brand	FinDreams	FinDreams	FinDreams	FinDreams	FinDreams
Battery Pack Warranty	()	()	()	()	()
Battery Capacity (kWh)	32	45.12	45.12	45.12	45.12
Battery Energy Density (Wh/kg)	-	-	-	-	-
Battery Charging	-	-	-	-	-
Battery Charging	30 min; •	30 min; •	30 min; •	30 min; •	30 min; •
Battery Charging Charging	30 min	30 min	30 min	30 min	30 min
Battery Charging	•	•	•	•	•
Maximum Power (kw)	45	65	65	65	65
DC Charging Port Position	Right fender	Right fender	Right fender	Right fender	Right fender
DC Charging Port Position (Right fender)	Right fender	Right fender	Right fender	Right fender	Right fender
AC Charging Port Position	Right fender	Right fender	Right fender	Right fender	Right fender
AC Charging Port Position (Right fender)	Right fender	Right fender	Right fender	Right fender	Right fender
Battery System	● Standard	● Standard	● Standard	● Standard	● Standard
Battery System	Direct cooling	Direct cooling	Direct cooling	Direct cooling	Liquid cooling
One-pedal Mode	-	-	-	-	-
VTOLFunction	● Standard	● Standard	● Standard	● Standard	● Standard
VTOLMaximum Power	3.3kW	3.3kW	3.3kW	3.3kW	3.3kW
VTOVMaximum Power	-	-	-	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Battery Type	LFP battery	LFP battery	LFP battery	LFP battery	LFP battery
Battery Technology	Blade battery	Blade battery	Blade battery	Blade battery	Blade battery
Battery Cell Brand	FinDreams	FinDreams	FinDreams	FinDreams	FinDreams
Battery Pack Warranty	()	()	()	-	-
Battery Capacity (kWh)	45.12	32	45.12	-	-
Battery Energy Density (Wh/kg)	-	-	-	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Battery Charging	-	-	-	-	-
Battery Charging	30 min; •	30 min; •	30 min; •	•	•
Battery Charging Charging	30 min	30 min	30 min	-	-
Battery Charging	•	•	•	•	•
Maximum Power (kw)	65	45	65	-	-
DC Charging Port Position	Right fender	Right fender	Right fender	-	-
DC Charging Port Position (Right fender)	Right fender	Right fender	Right fender	-	-
AC Charging Port Position	Right fender	Right fender	Right fender	-	-
AC Charging Port Position (Right fender)	Right fender	Right fender	Right fender	-	-
Battery System	● Standard	● Standard	● Standard	● Standard	● Standard
Battery System	Liquid cooling	Liquid cooling	Liquid cooling	Liquid cooling	Liquid cooling
One-pedal Mode	-	-	-	-	-
VTOLFunction	● Standard	● Standard	-	● Standard	● Standard
VTOLMaximum Power	3.3kW	3.3kW	-	-	-
VTOVMaximum Power	-	-	-	-	-

Transmission

Parameter	2025 301 km Navigation	2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond	2024 401 km Leading
Transmission Description	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission
Number of Gears	1	1	1	1	1
Transmission Type	Single-speed gearbox	Single-speed gearbox	Single-speed gearbox	Single-speed gearbox	Single-speed gearbox

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Transmission Description	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission	Single-speed EV transmission
Number of Gears	1	1	1	1	1
Transmission Type	Single-speed gearbox	Single-speed gearbox	Single-speed gearbox	Single-speed gearbox	Single-speed gearbox

Chassis / Steering

Parameter	2025 301 km Navigation	2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond	2024 401 km Leading
Drive Type	Front-mountedFWD	Front-mountedFWD	Front-mountedFWD	Front-mountedFWD	Front-mountedFWD
Front	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension
Rear	Trailing-arm torsion beam non-independent suspension	Trailing-arm torsion beam non-independent suspension	Trailing-arm torsion beam non-independent suspension	Trailing-arm torsion beam non-independent suspension	Trailing-arm torsion beam non-independent suspension
Steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering
Vehicle Body Structure	Unibody	Unibody	Unibody	Unibody	Unibody

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Drive Type	Front-mountedFWD	Front-mountedFWD	Front-mountedFWD	Front-mountedFWD	Front-mountedFWD
Front	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension
Rear	Trailing-arm torsion beam non-independent suspension	Trailing-arm torsion beam non-independent suspension	Trailing-arm torsion beam non-independent suspension	Trailing-arm torsion beam non-independent suspension	Trailing-arm torsion beam non-independent suspension
Steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering
Vehicle Body Structure	Unibody	Unibody	Unibody	Unibody	Unibody

Wheels / Brakes & Features

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
Ventilated disc	Ventilated disc	Ventilated disc
Disc	Disc	Disc
Electronic parking	Electronic parking	Electronic parking
215/65 R16	215/65 R16	215/65 R16
215/65 R16	215/65 R16	215/65 R16
-	-	-
-	-	-
-	-	-
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
• Lane departure warning; • Forward collision warning; • Rear collision warning; • Rear cross-traffic alert; • DOW; • ; •	• Lane departure warning; • Forward collision warning; • Rear collision warning; • Rear cross-traffic alert; • DOW; • ; •	• Lane departure warning; • Forward collision warning; • Rear collision
• Lane departure warning	• Lane departure warning	• Lane departure warning
• Forward collision warning	• Forward collision warning	• Forward collision warning
• Rear collision warning	• Rear collision warning	• Rear collision warning
• Rear cross-traffic alert	• Rear cross-traffic alert	• Rear cross-traffic alert
• DOW	• DOW	• DOW
•	•	•
•	•	•
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
-	-	-
-	-	-
-	-	-

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
● Standard	● Standard	● Standard
-	-	-
-	-	-
-	-	-
• Driver seat; • Passenger seat	• Driver seat; • Passenger seat	• Driver seat; • Passenger seat
• Driver seat	• Driver seat	• Driver seat
• Passenger seat	• Passenger seat	• Passenger seat
• Front row	• Front row	• Front row
• Front row	• Front row	• Front row
-	● Standard	● Standard
-	-	-
-	-	-
● Standard	● Standard	● Standard
Tire pressure display	Tire pressure display	Tire pressure display
● Standard	● Standard	● Standard
-	-	-
-	-	-
-	-	-
•; •	•; •	•; •
•	•	•
•	•	•
-	-	-
● Standard	● Standard	● Standard
• Reverse camera; • 360°Panoramic camera; •	• Reverse camera; • 360°Panoramic camera; •	• Reverse camera; • 360°Panoramic camera; •
• Reverse camera	• Reverse camera	• Reverse camera
• 360°Panoramic camera	• 360°Panoramic camera	• 360°Panoramic camera
•	•	•
• Cruise control; • Adaptive cruise control; • Full-speed adaptive cruise control	• Cruise control; • Adaptive cruise control; • Full-speed adaptive cruise control	• Cruise control; • Adaptive cruise control; • Full-speed adaptive cruise control
• Cruise control	• Cruise control	• Cruise control
• Adaptive cruise control	• Adaptive cruise control	• Adaptive cruise control

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
• Full-speed adaptive cruise control	• Full-speed adaptive cruise control	• Full-speed adaptive cruise control
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
•	•	•
•	•	•
• L2	• L2	• L2
• L2	• L2	• L2
● Standard	● Standard	● Standard
-	-	-
-	-	-
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
•; •; • ECO; •	•; •; • ECO; •	•; •; • ECO; •
•	•	•
•	•	•
• ECO	• ECO	• ECO
•	•	•
● Standard	● Standard	● Standard

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
-	-	-
-	-	Panoramic canopy
-	-	● Standard
-	-	-
-	-	● Standard
-	-	-
-	-	-
-	-	-
-	● Standard	● Standard
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
•	•	•
-	-	-
•	•	•
+	+	+
-	-	-
•	•	•
•	•	•
•	•	•
•	•	•
-	-	-
Full LCD	Full LCD	Full LCD
• 8.8	• 8.8	• 8.8
• 8.8	• 8.8	• 8.8
-	-	-

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
-	-	-
-	-	-
-	-	-
-	-	-
● Standard	● Standard	● Standard
• Remote key; • NFC/RFID key; • Bluetooth key	• Remote key; • NFC/RFID key; • Bluetooth key	• Remote key; • NFC/RFID key; • Bluetooth key
• Remote key	• Remote key	• Remote key
• NFC/RFID key	• NFC/RFID key	• NFC/RFID key
• Bluetooth key	• Bluetooth key	• Bluetooth key
Driver seat	Driver seat	Driver seat
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
-	-	-
-	-	● Standard
-	-	-
-	-	-
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
-	-	-
-	● Standard	● Standard
-	50	50
-	-	-
-	50	50
-	-	-
-	-	-
-	-	-
Synthetic leather	Synthetic leather	Synthetic leather
-	-	-
• 2+3	• 2+3	• 2+3

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
•2+3	•2+3	•2+3
-	-	-
-	-	-
-	• Driver seat	• Driver seat; • Passenger seat
-	• Driver seat	• Driver seat
-	-	• Passenger seat
-	-	-
•;•;•	•;•;•	•;•;•
•	•	•
•	•	•
•	•	•
-	-	-
•;•	•;•	•;•
•	•	•
•	•	•
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
• Front row	• Front row	• Front row
• Front row	• Front row	• Front row
-	-	-
-	-	-
40:60	40:60	40:60

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
-	-	-
-	-	-
-	-	-
12.8	12.8	12.8
• LCD	• LCD	• LCD
• LCD	• LCD	• LCD
-	-	-
● Standard	● Standard	● Standard
-	-	-
● Standard	● Standard	● Standard
•	•	•
-	-	-
•	•	-
-	-	•
-	-	-
● Standard	● Standard	● Standard
-	-	-
● Standard	● Standard	● Standard
• 5G	• 5G	• 5G
-	-	-
• 5G	• 5G	• 5G
● Standard	● Standard	● Standard
-	-	-
-	-	-
-	-	-
-	-	-
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
•	•	•
-	-	-

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
•	•	•
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
Hi, Di	Hi, Di	Hi, Di
-	-	-
● Standard	● Standard	● Standard
-	-	-
-	-	-
● Standard	● Standard	● Standard
• SD; • USB/Type-C	• SD; • USB/Type-C	• SD; • USB/Type-C
• SD	• SD	• SD
• USB/Type-C	• USB/Type-C	• USB/Type-C
• Front row2; • Rear row2	• Front row2; • Rear row2	• Front row2; • Rear row2
• Front row2	• Front row2	• Front row2
• Rear row2	• Rear row2	• Rear row2
-	-	-
-	-	-
-	-	-
-	-	-
● Standard	● Standard	● Standard
-	-	-
• 4	• 6	• 6
• 4	-	-
-	• 6	• 6
-	-	-
-	-	-
-	-	-
LED	LED	LED
LED	LED	LED
● Standard	● Standard	● Standard

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
● Standard	● Standard	● Standard
● Standard	● Standard	● Standard
-	-	-
-	-	-
-	-	-
● Standard	● Standard	● Standard
-	-	-
-	-	Single-color
-	-	-
-	-	-
-	-	-
● Standard	● Standard	● Standard
-	-	-
-	-	-
• Front row; • Rear row	• Front row; • Rear row	• Front row; • Rear row
• Front row	• Front row	• Front row
• Rear row	• Rear row	• Rear row
Full vehicle	Full vehicle	Full vehicle
● Standard	● Standard	● Standard
• ; • ; • ; • Automatic	• ; • ; • ; • Automatic	• ; • ; • ; • Automatic
•	•	•
•	•	•
•	•	•
• Automatic	• Automatic	• Automatic
-	-	-
• Driver seat+; • Passenger seat+	• Driver seat+; • Passenger seat+	• Driver seat+; • Passenger seat+
• Driver seat+	• Driver seat+	• Driver seat+
• Passenger seat+	• Passenger seat+	• Passenger seat+
-	-	-
-	-	-

2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond
-	-	-
-	● Standard	● Standard
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
Automatic	Automatic	Automatic
-	-	-
● Standard	● Standard	● Standard
-	-	-
-	-	-
● Standard	● Standard	● Standard
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Front Brake Type	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Rear Brake Type	Disc	Disc	Disc	Disc	Disc
Parking Brake Type	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front Tire Size	215/65 R16	215/65 R16	215/65 R16	215/60 R17	215/60 R17
Rear Tire Size	215/65 R16	215/65 R16	215/65 R16	215/60 R17	215/60 R17
Front Tire Specification	-	-	-	-	-
Rear Tire Placement	-	-	-	-	-
Active Safety	-	-	-	-	-
ABS	● Standard	● Standard	● Standard	-	-
ESC (D/CBC)	● Standard	● Standard	● Standard	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Adaptive Cruise Control (EBA/BA)	● Standard	● Standard	● Standard	-	-
Adaptive Cruise Control (TCS/ASR)	● Standard	● Standard	● Standard	-	-
Adaptive Cruise Control System (ESP/DSC)	● Standard	● Standard	● Standard	-	-
Adaptive Cruise Control System	■ Optional; Lane departure warning; ■ Forward collision warning; ■ Rear collision warning; ■ Rear cross-traffic alert; ■ DOW	-	-	-	-
Adaptive Cruise Control System	■ Optional; Lane departure warning	-	-	-	-
Adaptive Cruise Control System Front	■ Optional; Forward collision warning	-	-	-	-
Adaptive Cruise Control System Rear	■ Optional; Rear collision warning	-	-	-	-
Adaptive Cruise Control System	■ Optional; Rear cross-traffic alert	-	-	-	-
Adaptive Cruise Control System DOW	■ Optional; DOW	-	-	-	-
Adaptive Cruise Control System Front	-	-	-	-	-
Adaptive Cruise Control System Front	-	-	-	-	-
Adaptive Cruise Control System Autonomous Emergency Braking	Optional	-	-	-	-
Adaptive Cruise Control System Blind Spot Monitoring	Optional	-	-	-	-
Adaptive Cruise Control System Adaptive Cruise Control System	Optional	-	-	-	-
Adaptive Cruise Control System Lane Centering	Optional	-	-	-	-
Adaptive Cruise Control System Lane Keeping	-	-	-	-	-
Adaptive Cruise Control System Lane S	-	-	-	-	-
Adaptive Cruise Control System Cabin Vital Signs Detection	-	-	-	-	-
Adaptive Cruise Control System Traffic Sign Recognition	Optional	-	-	-	-
Adaptive Cruise Control System Traffic Light Recognition	-	-	-	-	-
Adaptive Cruise Control System Adaptive Cruise Control System	-	-	-	-	-
Adaptive Cruise Control System Adaptive Safety	-	-	-	-	-
Adaptive Cruise Control System Front Airbag	• Driver seat; • Passenger seat	• Driver seat; • Passenger seat	• Driver seat; • Passenger seat	-	-
Adaptive Cruise Control System Front Airbag Driving	• Driver seat	• Driver seat	• Driver seat	-	-
Adaptive Cruise Control System Front Airbag Driving	• Passenger seat	• Passenger seat	• Passenger seat	-	-
Adaptive Cruise Control System Side Airbag	• Front row	• Front row	• Front row	-	-
Adaptive Cruise Control System Side Airbag Front	• Front row	• Front row	• Front row	-	-
Adaptive Cruise Control System Side Curtain Airbags	● Standard	-	-	-	-
Adaptive Cruise Control System Side Airbag	-	-	-	-	-
Adaptive Cruise Control System Side Airbag	-	-	-	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Seat Belt Reminder	● Standard	● Standard	● Standard	-	-
Tire Pressure Monitoring System	Tire pressure display	Tire pressure warning	Tire pressure warning	-	-
Child Seat Lock (ISOFIX)	● Standard	● Standard	● Standard	-	-
Blind Spot Protection	-	-	-	-	-
Adaptive Cruise Control	-	-	-	-	-
Driver Assistance /Feature	-	-	-	-	-
Advanced Driver Assistance System	• ; •	• ; •	• ; •	-	-
Forward Collision Warning	•	•	•	-	-
Rear Cross-Traffic Alert	•	•	•	-	-
Automatic Emergency Braking	-	-	-	-	-
Adaptive Cruise Control	● Standard	● Standard	● Standard	-	-
360° Surround View Camera	• Reverse camera; • 360°Panoramic camera; •	• Reverse camera; • 360°Panoramic camera; •	• Reverse camera; • 360°Panoramic camera; •	-	-
Reverse Camera	• Reverse camera	• Reverse camera	• Reverse camera	-	-
360° Surround View Camera	• 360°Panoramic camera	• 360°Panoramic camera	• 360°Panoramic camera	-	-
Blind Spot Detection	•	•	•	-	-
Cruise Control	• Cruise control; ■ Adaptive cruise control; ■ Full-speed adaptive cruise control	• Cruise control	• Cruise control	-	-
Cruise Control	• Cruise control	• Cruise control	• Cruise control	-	-
Adaptive Cruise Control	■ Optional; Adaptive cruise control	-	-	-	-
Full-Speed Adaptive Cruise Control	■ Optional; Full-speed adaptive cruise control	-	-	-	-
Automatic Lane-Keeping Assist	-	-	-	-	-
Automatic Lane-Keeping Assist	-	-	-	-	-
Automatic Lane-Keeping Assist	-	-	-	-	-
Automatic Lane-Keeping Assist	■ Optional; L2	-	-	-	-
Automatic Lane-Keeping Assist L2	■ Optional; L2	-	-	-	-
Automatic Lane-Keeping Assist	-	-	-	-	-
Reverse Track Assist	-	-	-	-	-
Memory Parking	-	-	-	-	-
Automatic Parking	-	-	-	-	-
Automatic (AUTOHOLD)	● Standard	● Standard	● Standard	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
ist (HAC)	● Standard	● Standard	● Standard	-	-
C)	● Standard	● Standard	● Standard	-	-
stable Suspension	-	-	-	-	-
Suspension	-	-	-	-	-
e	-	-	-	-	-
romagnetic Suspension	-	-	-	-	-
tem	-	-	-	-	-
nt	-	-	-	-	-
r	-	-	-	-	-
ction	-	-	-	-	-
-speed 4WD	-	-	-	-	-
tem	-	-	-	-	-
ing	• ; • ; • ECO/ ; •	• ; • ; • ECO/ ; •	• ; • ; • ECO/ ; •	-	-
ing	•	•	•	-	-
ing	•	•	•	-	-
ing ECO/	• ECO	• ECO	• ECO	-	-
ing	•	•	•	-	-
tem	● Standard	● Standard	● Standard	-	-
nfort Brake	● Standard	● Standard	● Standard	-	-
-speed Acoustic Alert	● Standard	● Standard	● Standard	-	-
ture	-	-	-	-	-
roof Type	Panoramic canopy	-	-	-	-
oramic Canopy Sunshade	● Standard	-	-	-	-
lligent	-	-	-	-	-
f Rails	● Standard	-	-	-	-
rt Appearance Package	-	-	-	-	-
ver Spoiler	-	-	-	-	-
ve Grille Shutter	-	-	-	-	-
y Wheels	● Standard	● Standard	-	-	-
Step	-	-	-	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
r	-	-	-	-	-
Men Door Handles	-	-	-	-	-
Hook	-	-	-	-	-
ture	-	-	-	-	-
ering Wheel Material	•	•	•	-	-
ering Wheel Material	-	•	•	-	-
ering Wheel Material	•	-	-	-	-
ering Wheel	+	+	+	-	-
ering Wheel	-	-	-	-	-
ering Wheel Function	•	•	•	-	-
ering Wheel Function Function Control	•	•	•	-	-
r Selector Type	•	•	•	-	-
r Selector Type (Electronic column shifter)	-	-	-	-	-
r Selector Type (Electronic gear lever)	•	•	•	-	-
ument Cluster Style	Full LCD	Full LCD	Full LCD	-	-
()	• 8.8	• 8.8	• 8.8	-	-
() 8.8	• 8.8	• 8.8	• 8.8	-	-
ture	-	-	-	-	-
-close Doors	-	-	-	-	-
r	-	-	-	-	-
r	-	-	-	-	-
r	-	-	-	-	-
tral Lock	● Standard	● Standard	● Standard	-	-
Type	• Remote key; • NFC/RFID key; • Bluetooth key	• Remote key; • NFC/RFID key; • Bluetooth key	• Remote key; • NFC/RFID key; • Bluetooth key	-	-
Type Intelligent Key	• Remote key	• Remote key	• Remote key	-	-
Type NFC/RFIDKey	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key	-	-
Type Key	• Bluetooth key	• Bluetooth key	• Bluetooth key	-	-
	Driver seat	Driver seat	Driver seat	-	-
	● Standard	● Standard	● Standard	-	-
note	● Standard	● Standard	● Standard	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Note Vehicle Move	● Standard	● Standard	-	-	-
Function	-	-	-	-	-
Item (HUD)	Optional	-	-	-	-
OSize ()	■ Optional; 8	-	-	-	-
OSize () 8	■ Optional; 8	-	-	-	-
Fit-in Driving Recorder	● Standard	-	-	-	-
C	● Standard	● Standard	● Standard	-	-
Active Noise Cancellation	-	-	-	-	-
Charging	● Standard	-	-	-	-
Charging Maximum Power (W)	15	-	-	-	-
Charging Maximum Power (W) 15	15	-	-	-	-
Charging Maximum Power (W) 50	-	-	-	-	-
V/220V/230V	-	-	-	-	-
	-	-	-	-	-
Seat Feature	-	-	-	-	-
Material	Synthetic leather	Synthetic leather	Synthetic leather	-	-
Seat	-	-	-	-	-
Seat	• 2+3	• 2+3	• 2+3	-	-
Seat 2+3	• 2+3	• 2+3	• 2+3	-	-
Seat	-	-	-	-	-
Seat	-	-	-	-	-
Seat	• Driver seat; • Passenger seat	-	-	-	-
Seat Driving	• Driver seat	-	-	-	-
Seat Driving	• Passenger seat	-	-	-	-
Seat	-	-	-	-	-
Seat	•; •; •	•; •; •	•; •; •	-	-
Seat Front Rear	•	•	•	-	-
Seat	•	•	•	-	-
Seat	•	•	•	-	-
Seat	-	-	-	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
t	•;•	•;•	•;•	-	-
t Front Rear	•	•	•	-	-
t	•	•	•	-	-
t	-	-	-	-	-
t	-	-	-	-	-
t Seat Function	-	-	-	-	-
t Seat Function	-	-	-	-	-
t Seat Function	-	-	-	-	-
t Function	-	-	-	-	-
t Function	-	-	-	-	-
s Button	-	-	-	-	-
t/Rear	• Front row; ■ Rear row	• Front row	• Front row	-	-
t/Rear Front	• Front row	• Front row	• Front row	-	-
t/Rear Rear	■ Optional; Rear row	-	-	-	-
r	Optional	-	-	-	-
	-	-	-	-	-
r Seat	40:60	40:60	40:60	-	-
r Seat	-	-	-	-	-
ond-row Tray Table	-	-	-	-	-
ligent	-	-	-	-	-
e ()	12.8	10.1	10.1	-	-
erial	-	-	-	-	-
erial LCD	-	-	-	-	-
	● Standard	● Standard	● Standard	-	-
tem	● Standard	● Standard	● Standard	-	-
	-	-	-	-	-
igation Traffic Information Display	● Standard	● Standard	● Standard	-	-
	•	•	•	-	-
	•	•	•	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
	-	-	-	-	-
/	-	-	-	-	-
roadside Assistance Service	-	-	-	-	-
	● Standard	● Standard	● Standard	-	-
Smartphone Connectivity / Mirroring	-	-	-	-	-
Connected Vehicle	● Standard	● Standard	● Standard	-	-
5G	• 4G	• 4G	• 4G	-	-
5G 4G	• 4G	• 4G	• 4G	-	-
5G 5G	-	-	-	-	-
A	● Standard	● Standard	● Standard	-	-
e Recognition	-	-	-	-	-
erprint Recognition	-	-	-	-	-
eprint Recognition	-	-	-	-	-
tion Recognition	-	-	-	-	-
trol System	● Standard	● Standard	● Standard	-	-
ction	● Standard	● Standard	● Standard	-	-
ction	•	•	•	-	-
ction	•	•	•	-	-
ction	-	-	-	-	-
ntinuous Voice Recognition	● Standard	● Standard	● Standard	-	-
ble-to-speak Function	-	-	-	-	-
e Assistant Wake-up Words	Hi, Di	Hi, Di	Hi, Di	-	-
trol Function	-	-	-	-	-
Fi	● Standard	● Standard	● Standard	-	-
io / Video Entertainment	-	-	-	-	-
i-finger Screen Transfer Control	-	-	-	-	-
Store	● Standard	● Standard	● Standard	-	-
imedia Interface	• SD; • USB/Type-C	• USB/Type-C	• USB/Type-C	-	-
	• SD	-	-	-	-
B/Type-C	• USB/Type-C	• USB/Type-C	• USB/Type-C	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
3/Type-CQuantity	• Front row2; • Rear row2	• Front row2; • Rear row2	• Front row2; • Rear row2	-	-
3/Type-CQuantity Front 2	• Front row2	• Front row2	• Front row2	-	-
3/Type-CQuantity Rear 2	• Rear row2	• Rear row2	• Rear row2	-	-
3/Type-CMaximum Charging Power	-	-	-	-	-
Car TV	-	-	-	-	-
Car	-	-	-	-	-
culated Sound	-	-	-	-	-
nction	-	-	-	-	-
io Brand	-	-	-	-	-
ntity ()	• 6; ■ 8	• 6	• 4	-	-
ntity () 4	-	-	• 4	-	-
ntity () 6	• 6	• 6	-	-	-
ntity () 8	■ Optional; 8	-	-	-	-
r Control	-	-	-	-	-
ture	-	-	-	-	-
Beam	LED	LED	LED	-	-
Beam	LED	LED	LED	-	-
time Running Lights	● Standard	● Standard	● Standard	-	-
ptive High / Low Beam	Optional	-	-	-	-
omatic	● Standard	● Standard	● Standard	-	-
st	-	-	-	-	-
nt	-	-	-	-	-
S)	-	-	-	-	-
idlight Height Adjustment	● Standard	● Standard	● Standard	-	-
nction	-	-	-	-	-
rior Ambient Lighting	Single-color	-	-	-	-
ve Ambient Lighting	-	-	-	-	-
nction	-	-	-	-	-
t Projection Technology	-	-	-	-	-
idlight Delay-off	● Standard	● Standard	● Standard	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
Antenna	-	-	-	-	-
Antenna	-	-	-	-	-
Power Windows	• Front row; • Rear row	• Front row; • Rear row	• Front row; • Rear row	-	-
Antenna	• Front row	• Front row	• Front row	-	-
Antenna	• Rear row	• Rear row	• Rear row	-	-
Touch Window Operation	Full vehicle	Driver seat	Driver seat	-	-
Function	● Standard	● Standard	● Standard	-	-
Function	•; •; •	•; •	•; •	-	-
Function	•	•	•	-	-
Function	•	•	•	-	-
Function	•	-	-	-	-
Function Automatic	-	-	-	-	-
Function	-	-	-	-	-
Rear Vanity Mirror	• Driver seat+; • Passenger seat+	• Driver seat+; • Passenger seat+	• Driver seat+; • Passenger seat+	-	-
Function +	• Driver seat+	• Driver seat+	• Driver seat+	-	-
Function +	• Passenger seat+	• Passenger seat+	• Passenger seat+	-	-
Antenna	-	-	-	-	-
Rear Sunshade	-	-	-	-	-
Auto-sensing Wipers	-	-	-	-	-
Function	● Standard	● Standard	-	-	-
Antenna	-	-	-	-	-
Multi-layer Soundproof Glass	-	-	-	-	-
Antenna	-	-	-	-	-
Washer Nozzles	-	-	-	-	-
Function	-	-	-	-	-
Control	Automatic	Automatic	Automatic	-	-
Antenna	-	-	-	-	-
Antenna	-	-	-	-	-
Control	-	-	-	-	-
Rear Air Purifier	-	-	-	-	-

Parameter	2024 401 km Beyond	2024 301 km Leading	2024 401 km Vitality	2026 Base	2026 Premium
2.5	● Standard	● Standard	● Standard	-	-
ative Ion Generator	-	-	-	-	-
rior Fragrance System	-	-	-	-	-
System	-	-	-	-	-
ar Refrigerator	-	-	-	-	-
ction	-	-	-	-	-

Intelligent Features

Parameter	2025 301 km Navigation	2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond	2024 401 km Leading
Assist Driving System	-	• DiPilot 100	• DiPilot 100	• DiPilot 100	-
Assist Driving System DiPilot 100	-	• DiPilot 100	• DiPilot 100	• DiPilot 100	-
Assist Driving	-	• NVIDIA DRIVE Orin N	• NVIDIA DRIVE Orin N	• NVIDIA DRIVE Orin N	-
Assist Driving NVIDIA DRIVE Orin N	-	• NVIDIA DRIVE Orin N	• NVIDIA DRIVE Orin N	• NVIDIA DRIVE Orin N	-
Assist Driving (TOPS)	-	• 84	• 84	• 84	-
Assist Driving (TOPS) 84	-	• 84	• 84	• 84	-
Intelligent System	• DiLink	• DiLink	• DiLink	• DiLink	• DiLink
Intelligent System DiLink	• DiLink	• DiLink	• DiLink	• DiLink	• DiLink
Intelligent	-	• D100	• D100	• D100	-
Intelligent D100	-	• D100	• D100	• D100	-
System (GB)	-	• 12	• 12	• 12	-
System (GB) 12	-	• 12	• 12	• 12	-
System (GB)	-	• 256	• 256	• 256	-
System (GB) 256	-	• 256	• 256	• 256	-
AppRemote Control	•;•;•;•;•	•;•;•;•;•	•;•;•;•;•	•;•;•;•;•	•;•;•;•;•
AppRemote Control Key	•	•	•	•	•
AppRemote Control	•	•	•	•	•
AppRemote Control Remote Control	•	•	•	•	•
AppRemote Control Charging	•	•	•	•	•
AppRemote Control	•	•	•	•	•
System	● Standard	● Standard	● Standard	● Standard	● Standard
Camera Quantity ()	• 4	• 12	• 12	• 12	• 5
Camera Quantity () 4	• 4	-	-	-	-
Camera Quantity () 5	-	-	-	-	• 5
Camera Quantity () 6	-	-	-	-	-
Camera Quantity () 12	-	• 12	• 12	• 12	-
Camera	-	• 800*3	• 800*3	• 800*3	-
Camera 800*3	-	• 800*3	• 800*3	• 800*3	-

Parameter	2025 301 km Navigation	2025 Smart Driving 401 km Vitality	2025 Smart Driving 401 km Leading	2025 Smart Driving 401 km Beyond	2024 401 km Leading
Camera	-	-	-	-	-
Radar Quantity ()	6	12	12	12	6
Radar Quantity ()	-	• 5	• 5	• 5	-
Radar Quantity () 2	-	-	-	-	-
Radar Quantity () 5	-	• 5	• 5	• 5	-
System	-	-	-	-	-
Map	-	-	-	-	-
■ ■	● Standard	● Standard	● Standard	● Standard	-
V2X	-	-	-	-	-
Optional Package	-	-	-	-	-
Custom Options	Optional exterior, interior, wheels and brakes	Optional exterior, interior, wheels and brakes	Optional exterior, interior, wheels and brakes	Optional exterior, interior, wheels and brakes	Optional exterior, interior, wheels and brakes
Intelligent	-	-	-	-	-
Intelligent	-	-	-	-	-
Intelligent	-	-	-	-	-
Guogan Pink Package	-	-	-	-	Guogan Pink exterior color, Guogan Pink interior color; ■ (3000)
Guogan Pink Package	-	-	-	-	Guogan Pink exterior color, Guogan Pink interior color
Guogan Pink Package	-	-	-	-	■ Optional; (3000)

	2024 301 km Leading	2024 401 km Vitality
	-	-
	-	-
	-	-
	-	-
	-	-
	-	-
	• DiLink	• DiLink
	• DiLink	• DiLink
	-	-
	-	-
	-	-

	2024 301 km Leading	2024 401 km Vitality
	-	-
Guogan Pink interior color; ■ (3000)	Guogan Pink exterior color, Guogan Pink interior color; ■ (3000)	Guogan Pink exterior color,
Guogan Pink interior color	Guogan Pink exterior color, Guogan Pink interior color	Guogan Pink exterior color,
	■ Optional; (3000)	■ Optional; (3000)