

Li L8 2025 Pro smartRenewal Edition Specifications

Basic Information

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|---|---------------------------------------|
| Official Price | RMB 321,800 |
| Manufacturer | Li AutoVehicle |
| Class | mid-large SUV |
| Energy Type | Range Extended |
| Market Time | 2025.05 |
| Electric Description | Range Extended 449horsepower |
| CLTC Range | 176 |
| Wltc Recharge Mileage | 190 |
| CLTC Pure Electric Range (km) | 225 |
| Combined Driving Range (km), MIIT | 1135 |
| Combined Range (km) WLTC | 1135 |
| Combined Cruising Range Cltc | 1360 |
| High-Voltage Fast Charging Platform | ● Standard: 400V |
| 400 | ● Standard: 400V |
| 800 | - |
| Charging Time | Fast charge 30 min; Slow charge 6.5 h |
| Fast Charging Window (%) | 20-80 |
| Maximum Power (kW) | 330(449Ps) |
| Maximum Torque (N·m) | 620 |
| Transmission Description | EV single-speed transmission |
| Length x Width x Height (mm) | 5080x1995x1800 |
| Body Structure | 5-door 6-seat SUV |
| Top Speed (km/h) | 180 |
| Official 0-100 km/h Acceleration (s) | 5.3 |
| WLTC Fuel Consumption (L/100km) | 0.81 |
| Energy Consumption (kWh/100km) | 22.9 |
| Equivalent Fuel Consumption (L/100km) | 2.59 |
| State OF Charge Fuel Consumption | 7.5 |
| Fuel Consumption at Low Charge WLTC (L/100km) | 7.5 |
| Vehicle Warranty | 5 years or 100,000 km |
| Estimated Maintenance Cost over 60,000 km | RMB 8,528 |

Body

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|-------------------------------|-------------------------------------|
| Length (mm) | 5080 |
| Width (mm) | 1995 |
| Height (mm) | 1800 |
| Wheelbase (mm) | 3005 |
| Front Track (mm) | 1725 |
| Rear Track (mm) | 1741 |
| Minimum Ground Clearance (mm) | 172 |
| Body Structure | SUV |
| Number of Doors | 5 |
| Door Opening Type | Hinged doors |
| Seats | 6 |
| Curb Weight (kg) | 2490 |

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|----------------------------|-------------------------------------|
| Gross Weight (kg) | 3130 |
| OIL Tank Volume | 65.0 |
| Cargo Volume (L) | 313-1098 |
| Minimum Turning Radius (m) | 5.9m |
| Drag Coefficient (Cd) | 0.297 |

Engine

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|-----------------------------|-------------------------------------|
| Engine Model | L2E15M |
| Displacement (mL) | 1496 |
| Displacement (L) | 1.5 |
| Aspiration | turbocharged |
| Engine Layout | Transverse-mounted |
| Cylinder Arrangement | L |
| Number of Cylinders | 4 |
| Valves per Cylinder | 4 |
| Compression Ratio | 12.5 |
| Valve Train | DOHC |
| Maximum Horsepower (Ps) | 154 |
| Maximum Power (kW) | 113 |
| Maximum Net Power (kW) | 110 |
| Maximum Power RPM | 4800 |
| Maximum Torque (N-m) | 245 |
| Maximum Torque RPM | 2500-4000 |
| EngineThermal Efficiency(%) | 40.5 |
| Engine Technology | - |
| Energy Type | Range Extended |
| Fuel Grade | 95# |
| Fuel Supply System | direct injection |
| Cylinder Head Material | Aluminum alloy |
| Cylinder Block Material | Aluminum alloy |
| Emission Standard | China VI b |

Electric Motor

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|------------------------------|-------------------------------------|
| Electric Description | Range Extended 449horsepower |
| Motor Type | Permanent magnet synchronous |
| Total Motor Power | 330 |
| Total Motor Horsepower (Ps) | 449 |
| Total Motor Torque | 620 |
| Front Motor Max Power (kW) | 130 |
| Front Motor Max Torque (N-m) | 220 |
| Rear Motor Max Power (kW) | 200 |
| Rear Motor Max Torque (N-m) | 400 |
| System Combined Power (kW) | - |
| System Combined Torque (N-m) | - |
| Drive Motor Count | Dual motor |
| Motor Layout | Front-mounted+Rear-mounted |

Battery / Charging

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|---------------------------------------|---|
| Battery Type | Ternary lithium battery |
| Battery Special Technology | flame-retardant materials and thermal runaway protection |
| Cell Brand | Sunwoda |
| Battery Warranty | 8 years or 160,000 km |
| Battery Capacity | 42.8 |
| Battery Energy Density (Wh/kg) | - |
| Battery Charging Rate | - |
| 2 | - |
| 5 | - |
| Battery Charging (Summary) | ● Standard: Fast charge 30 min; ● Standard: Slow charge 6.5 h; ● Standard: Fast charging port |
| Charging Time | Fast charge 30 min; Slow charge 6.5 h |
| Battery Charging - Fast Charging Port | ● Standard: Fast charging port |
| MAX Fast Charge Power | 90 |
| Fast Charging Port Position (Summary) | Right rear fender |
| Fast Charging Port Position - Option | Right rear fender |
| Left Fuel Tank Position | - |
| Slow Charging Port Position (Summary) | Right rear fender |
| Slow Charging Port Position - Option | Right rear fender |
| Left Fuel Tank Position | - |
| Battery Heating System | Standard |
| Battery Cooling System | Liquid cooling |
| One-pedal Mode | - |
| VTOL Mobile Power Station | Standard |
| VTOL Maximum External Discharge Power | 3.5kW |
| VTOV Maximum External Discharge Power | - |

Transmission

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|--------------------------|-------------------------------------|
| Transmission Description | EV single-speed transmission |
| Number of Gears | 1 |
| Transmission Type | Fixed Gear Ratio Transmission |

Chassis / Steering

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|------------------------|--|
| Drive Type | Dual motor4WD |
| Four-wheel-drive Type | Electric AWD |
| Front Suspension | double wishbone independent suspension |
| Rear Suspension | Multi-link independent suspension |
| Steering Type | Electric power steering |
| Vehicle Body Structure | Unibody |

Wheels / Brakes

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|--------------------------|-------------------------------------|
| Front Brake Type | Ventilated disc |
| Rear Brake Type | Ventilated disc |
| Parking Brake Type | Electronic parking brake |
| Front Tire Size | 255/50 R20 |
| Rear Tire Size | 255/50 R20 |
| Spare Tire Specification | - |
| Spare Tire Location | - |
| Active Safety | - |

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|--|---|
| ABS | Standard |
| Brake-force Distribution (EBD/CBC) | Standard |
| Brake Assist (EBA/BA) | Standard |
| Traction Control (TCS/ASR) | Standard |
| Body Stability System (ESP/DSC) | Standard |
| Active Safety Warning System | ● Standard: Lane departure warning; ● Standard: Forward collision warning; ● Standard: Rear collision warning; ● Standard: Rear cross traffic alert; ● Standard: DOW door opening warning; ● Standard: Front cross traffic alert; ● Standard: Front cross traffic braking |
| Active Safety Warning System - Lane Departure Warning | ● Standard: Lane departure warning |
| Active Safety Warning System - Forward Collision Warning | ● Standard: Forward collision warning |
| Rear collision warning | ● Standard: Rear collision warning |
| Rear cross traffic alert | ● Standard: Rear cross traffic alert |
| DOW door opening warning | ● Standard: DOW door opening warning |
| Front cross traffic alert | ● Standard: Front cross traffic alert |
| Front cross traffic braking | ● Standard: Front cross traffic braking |
| Automatic Emergency Braking | Standard |
| Blind Spot Assist | Standard |
| Lane Keeping Assist | Standard |
| Lane Centering Assist | Standard |
| Driver Fatigue Warning | Standard |
| Active DMS Fatigue Detection | Standard |
| Cabin Vital-sign Detection | - |
| Traffic Sign Recognition | Standard |
| Traffic Light Recognition | Standard |
| Night Vision System | - |
| Interior Features | - |
| Front Airbags (Summary) | ● Standard: Driver seat; ● Standard: Passenger seat |
| Front Airbags - Driver | ● Standard: Driver seat |
| Front Airbags - Front Passenger | ● Standard: Passenger seat |
| Side Airbags (Summary) | ● Standard: Front row; ● Standard: Rear row |
| Side Airbags - Front Row | ● Standard: Front row |
| Rear row | ● Standard: Rear row |
| Side Curtain Airbags | Standard |
| Front Knee Airbags | - |
| Center Airbag | ● Standard: Front row |
| Front row | ● Standard: Front row |
| Seat Belt Reminder | Standard |
| TPMS | Tire pressure display |
| ISOFIX | Standard |
| Passive Pedestrian Protection | - |
| Run-flat Tire | - |
| Driver Assistance / Control | - |
| Parking Radar (Summary) | ● Standard: Front; ● Standard: Rear |
| Front | ● Standard: Front |
| Parking Radar - Rear | ● Standard: Rear |
| Front Vehicle Departure Reminder | Standard |
| Narrow Road Assistance | Standard |
| Driving Assistance Camera (Summary) | ● Standard: Rear view camera; ● Standard: Side Blind-Spot Camera; ● Standard: 360-degree panoramic camera; ● Standard: Transparent view |
| Driving Assistance Camera - Reverse Camera | ● Standard: Rear view camera |
| Side Blind Zone Camera | ● Standard: Side Blind-Spot Camera |
| Driving Assistance Camera - 360° Panoramic Camera | ● Standard: 360-degree panoramic camera |
| Driving Assistance Camera - Transparent Chassis View | ● Standard: Transparent view |

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|--|--|
| Cruise System (Summary) | ● Standard: Cruise control; ● Standard: Adaptive cruise control; ● Standard: Full-speed adaptive cruise control |
| Cruise System - Option | ● Standard: Cruise control |
| Cruise System - Adaptive Cruise Control | ● Standard: Adaptive cruise control |
| Cruise System - Full-speed Adaptive Cruise Control | ● Standard: Full-speed adaptive cruise control |
| Automatic Lane Change Assist | Standard |
| Automatic Ramp Exit / Entry | Standard |
| Navigation Assisted Driving | ● Standard: Highway navigation assist |
| Highway navigation assist | ● Standard: Highway navigation assist |
| Urban navigation assist | - |
| ADAS Level | L2 |
| Automatic Parking | Standard |
| Reverse Path Tracking | - |
| Memory Parking | Standard |
| Automatic Valet Parking | Standard |
| Auto Hold | Standard |
| Hill Start Assist (HAC) | Standard |
| Hill Descent Control (HDC) | Standard |
| Engine SAS Tech | - |
| Variable Suspension | Damping stiffness adjustment+high/low |
| Air Suspension | Standard |
| Air Suspension Type | ● Standard: dual-chamber |
| Dual Chamber | ● Standard: dual-chamber |
| Single Chamber | - |
| Electromagnetic Suspension | - |
| Magic Body Control | Standard |
| Variable Steering Ratio | - |
| Front Axle Limited-slip Type | - |
| Rear Axle Limited-slip Type | - |
| Center Differential Lock | - |
| Four WD LOW | - |
| Active Rear Steering | - |
| Drive Mode Selection (Summary) | ● Standard: Sport; ● Standard: off-road; ● Standard: Snow; ● Standard: ECO/Economy; ● Standard: Standard Comfort; ● Standard: launch control |
| Drive Mode Selection - Sport | ● Standard: Sport |
| Drive Mode Selection - Off-road | ● Standard: off-road |
| Drive Mode Selection - Snow | ● Standard: Snow |
| Drive Mode Selection - ECO | ● Standard: ECO/Economy |
| Drive Mode Selection - Standard / Comfort | ● Standard: Standard Comfort |
| LaunchMode | ● Standard: launch control |
| Brake Energy Recovery | Standard |
| Low-speed Warning Sound | Standard |
| Exterior Features | - |
| Sunroof Type | Segmented fixed sunroof |
| Panoramic Roof Sunshade | Standard |
| Smart Dimming Roof | - |
| Roof Rack | - |
| Sport Appearance Package | - |
| Power Spoiler | - |
| Active Grille Shutters | Standard |
| Alloy Wheels | Standard |
| Side Steps | ■ Optional: Power (RMB 10,000) |
| Power | ■ Optional: Power (RMB 10,000) |

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|---|---|
| Frameless Doors | - |
| Hidden Door Handles | Standard |
| Tow Hook | - |
| Comfort / Anti-theft | - |
| Steering Wheel Material (Summary) | ● Standard: Genuine leather |
| Genuine leather | ● Standard: Genuine leather |
| Steering Wheel Adjustment | Tilt and telescopic |
| Power Steering Wheel Adjustment | Standard |
| Steering Wheel Functions (Summary) | ● Standard: Multifunction controls; ● Standard: Memory; ● Standard: Heating |
| Steering Wheel Functions - Multi-function Control | ● Standard: Multifunction controls |
| Memory | ● Standard: Memory |
| Heating | ● Standard: Heating |
| Gear Selector Type (Summary) | ● Standard: Electronic column shifter |
| Gear Selector Type - Option | ● Standard: Electronic column shifter |
| LCD Cluster Style | Full LCD |
| LCD Cluster Size (in) (Summary) | ● Standard: 4.82 |
| 4.82 | ● Standard: 4.82 |
| Audio / Entertainment | - |
| Soft-close Doors | Standard |
| PowerSwing/Swing-Up Door | - |
| Power Tailgate | Standard |
| Hands-free Tailgate | Standard |
| Tailgate Position Memory | Standard |
| Engine Anti Theft | Standard |
| Central Locking | Standard |
| Remote Key Type (Summary) | ● Standard: Smart remote key; ● Standard: Phone Bluetooth key |
| Remote Key Type - Smart Remote Key | ● Standard: Smart remote key |
| Remote Key Type - Bluetooth Key | ● Standard: Phone Bluetooth key |
| Keyless Entry | All windows |
| Keyless Start | Standard |
| Remote Start | Standard |
| Remote Vehicle Move | Standard |
| Vehicle Summon | - |
| Head-up Display (HUD) | Standard |
| HUD Projection Size (in) | ● Standard: 13.35 |
| 13.35 | ● Standard: 13.35 |
| Built-in Driving Recorder | Standard |
| Active Noise Cancellation | - |
| Wireless Phone Charging | Standard |
| Wireless Charging MAX Power (Summary) | 50 |
| 15 | - |
| Wireless Charging MAX Power 50 | 50 |
| AC Power Outlet | Standard |
| Cargo 12V Power Outlet | Standard |
| Seat Features | - |
| Seat Material | Genuine leather |
| SeatsLeatherStyle | NappaGenuine leather |
| Sport Seats | - |
| Seat Layout | ● Standard: 2+2+2 |
| 2+2+2 | ● Standard: 2+2+2 |
| Second-row Independent Seats | Standard |
| Third-row Seats | 2-seat |
| Zero Gravity Seat | - |

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|--|--|
| Power Seat Adjustment (Summary) | ● Standard: Driver seat; ● Standard: Passenger seat; ● Standard: second row; ● Standard: third rowPower adjustment |
| Power Seat Adjustment - Driver | ● Standard: Driver seat |
| Seat Power Adjustment - Front Passenger | ● Standard: Passenger seat |
| Second Row | ● Standard: second row |
| Third RowPower adjustment | ● Standard: third rowPower adjustment |
| Sunken Rear Seat Folding | - |
| Driver Seat Main Adjustments (Summary) | ● Standard: Fore-aft adjustment; ● Standard: Backrest angle; ● Standard: Height adjustment |
| Driver Seat Main Adjustments - Fore / Aft | ● Standard: Fore-aft adjustment |
| Driver Seat Main Adjustments - Backrest Angle | ● Standard: Backrest angle |
| Driver Seat Main Adjustments - Height Adjustment | ● Standard: Height adjustment |
| Driver Seat Fine Adjustments (Summary) | ● Standard: Headrest; ● Standard: lumbar |
| Driver Seat Fine Adjustments - Headrest | ● Standard: Headrest |
| Lumbar | ● Standard: lumbar |
| Front Passenger Seat Main Adjustments (Summary) | ● Standard: Fore-aft adjustment; ● Standard: Height adjustment; ● Standard: Backrest angle |
| Front Passenger Seat Main Adjustments - Fore / Aft | ● Standard: Fore-aft adjustment |
| Height adjustment | ● Standard: Height adjustment |
| Front Passenger Seat Main Adjustments - Backrest Angle | ● Standard: Backrest angle |
| Front Passenger Seat Fine Adjustments (Summary) | ● Standard: Headrest; ● Standard: lumbar |
| Front Passenger Seat Fine Adjustments - Headrest | ● Standard: Headrest |
| Lumbar | ● Standard: lumbar |
| Second-row Seat Main Adjustments (Summary) | ● Standard: Fore-aft adjustment; ● Standard: Backrest angleAdjustment |
| Fore-aft adjustment | ● Standard: Fore-aft adjustment |
| Second-row Seat Main Adjustments - Option | ● Standard: Backrest angleAdjustment |
| Second-row Seat Fine Adjustments | ● Standard: lumbar |
| Lumbar | ● Standard: lumbar |
| Front Seat Functions | ● Standard: Heating; ● Standard: Ventilation; ● Standard: Memory; ● Standard: Massage |
| Front Seat Functions - Option | ● Standard: Heating |
| Ventilation | ● Standard: Ventilation |
| Memory | ● Standard: Memory |
| Massage | ● Standard: Massage |
| Second-row Seat Functions | ● Standard: Heating; ● Standard: Ventilation; ● Standard: Massage |
| Heating | ● Standard: Heating |
| Memory | - |
| Ventilation | ● Standard: Ventilation |
| Massage | ● Standard: Massage |
| Third-row Seat Functions | ● Standard: Heating |
| Heating | ● Standard: Heating |
| Boss Key | Standard |
| Front / Rear Armrests (Summary) | ● Standard: Front row; ● Standard: Rear row |
| Front / Rear Armrests - Front Row | ● Standard: Front row |
| Rear row | ● Standard: Rear row |
| Rear Cup Holder | Standard |
| Heated / Cooled Cup Holder | - |
| Front Seats Flattened | Standard |
| Rear Seat Folding Ratio | 50:50 |
| Power-folding Rear Seats | Standard |
| Second-row Tray Table | Standard |
| Windows / Mirrors | - |
| Center Screen Size (in) | 15.7 |
| Center Screen Material | ● Standard: LCD |
| Center Console Screen Material 2 - LCD | ● Standard: LCD |

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|--|---|
| Center Screen Resolution (Summary) | 3K (2880x1620) |
| 3K (2880x1620) | 3K (2880x1620) |
| 6K | - |
| Center Console ColorColorScreen Pixel Density(PPI) | ● Standard: 210 |
| 210 | ● Standard: 210 |
| Passenger Screen Size (in) | ● Standard: 15.7 |
| 15.7 | ● Standard: 15.7 |
| Passenger Screen Resolution | ● Standard: 2880x1620 |
| 2880x1620 | ● Standard: 2880x1620 |
| Passenger Screen Pixel Density(PPI) | ● Standard: 210 |
| 210 | ● Standard: 210 |
| Passenger Screen Resolution (K) | ● Standard: 3K |
| 3K | ● Standard: 3K |
| Satellite Navigation | Standard |
| AR Navigation | - |
| Navigation Traffic Display | Standard |
| MAP Brand (Summary) | ● Standard: Amap |
| Amap | ● Standard: Amap |
| Roadside Assistance | Standard |
| Bluetooth / Car Phone | Standard |
| Phone Mirroring (Summary) | - |
| Connected Car | Standard |
| Mobile Network (Summary) | ● Standard: 5G |
| 5G | ● Standard: 5G |
| OTA Upgrade | Standard |
| Face Recognition | Standard |
| Fingerprint Recognition | - |
| Voiceprint Recognition | Standard |
| Emotion Recognition | - |
| Voice Recognition Control | Standard |
| Wake-word-free Voice Control | Standard |
| Voice Wake-up by Zone (Summary) | ● Standard: 6-tone zone |
| 6-tone zone | ● Standard: 6-tone zone |
| Continuous Voice Recognition | Standard |
| Visible-to-speak Control | Standard |
| Voice Assistant Wake-up Phrase | Li Assistant |
| Gesture Control | Standard |
| Wi-Fi Hotspot | Standard |
| Enjoy Package | - |
| Multi-finger Screen Control | Standard |
| App Store | Standard |
| Media Interface (Summary) | ● Standard: USB/Type-C |
| Media Interface - USB/Type-C | ● Standard: USB/Type-C |
| USB/Type-C Port Count (Summary) | ● Standard: Front row: 2; ● Standard: Rear row: 4 |
| USB/Type-C Port Count - 2 Front | ● Standard: Front row: 2 |
| USB/Type-C Port Count - 1 Rear | ● Standard: Rear row: 4 |
| USB/Type-C Max Charging Power | Front row15W; Rear row67W |
| Front row: 15 W | Front row: 15 W |
| Rear row: 67 W | Rear row: 67 W |
| Rear row: 60 W | - |
| In-car TV | - |
| Rear LCD Screen | - |
| Rear rowScreen Size(Inch) | - |

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|---|--|
| 15.7 | - |
| 21 | - |
| Rear rowEntertainment Screen Resolution(K) | - |
| Simulated Engine Sound | - |
| Karaoke | Standard |
| Audio Brand | - |
| Number of Speakers | 19 |
| Dolby Atmos | Standard |
| Sound System Layout | 7.3.4 |
| Amplifier Max Output Power (W) | ● Standard: 1920 |
| 1920 | ● Standard: 1920 |
| 4720 | - |
| Seat Speakers (Headrest / Shoulder) | - |
| SKY Sound Channel | Standard |
| Rear Multimedia Controls | - |
| Windows / Mirrors | - |
| Low Beam | LED |
| High Beam | LED |
| Daytime Running Lights | Standard |
| Adaptive High / Low Beam | Standard |
| Automatic Headlights | Standard |
| Cornering Lights | Standard |
| Front Fog Lights | - |
| Adaptive Front-lighting System (AFS) | - |
| Headlight Height Adjustment | Standard |
| Headlight Washers | - |
| Ambient Lighting | 256 colors |
| Active Ambient Lighting | - |
| Special Lighting Functions | - |
| Lighting Projection Technology | - |
| Headlight Delay-off | Standard |
| Headlamp Rain / Fog Mode | - |
| Fresh Air Shield | - |
| Power Windows (Summary) | ● Standard: Front row; ● Standard: Rear row |
| Power Windows - Front Row | ● Standard: Front row |
| Power Windows - Option | ● Standard: Rear row |
| One-touch Windows | All windows |
| Anti-pinch Windows | Standard |
| Exterior Mirror Functions (Summary) | ● Standard: Power adjustment; ● Standard: Heating; ● Standard: Power folding; ● Standard: Memory; ● Standard: ReverseAutomatictilt-down; ● Standard: Auto-fold on lock; ● Standard: Automatic anti-glare |
| Exterior Mirror Functions - Option | ● Standard: Power adjustment |
| Exterior Mirror Functions - Heating | ● Standard: Heating |
| Exterior Mirror Functions - Power Folding | ● Standard: Power folding |
| Memory | ● Standard: Memory |
| ReverseAutomatictilt-down | ● Standard: ReverseAutomatictilt-down |
| Exterior Mirror Functions - Auto Fold on Lock | ● Standard: Auto-fold on lock |
| Automatic anti-glare | ● Standard: Automatic anti-glare |
| Interior Mirror Functions | ● Standard: Automatic anti-glare |
| Automatic anti-glare | ● Standard: Automatic anti-glare |
| Vanity Mirror (Summary) | ● Standard: Driver seat+with lighting; ● Standard: Passenger seat+with lighting |
| Vanity Mirror - Option | ● Standard: Driver seat+with lighting |
| Vanity Mirror - Option | ● Standard: Passenger seat+with lighting |
| Rear Privacy Glass | Standard |

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|----------------------------|--------------------------------------|
| Interior Sunshade | - |
| RearWindow sunshade | - |
| Rain-sensing Wipers | Standard |
| Rear Wiper | Standard |
| Rear Window Open Method | - |
| Multi-layer Acoustic Glass | Front row+Rear row |
| Heated Windshield | - |
| Heated Washer Nozzles | - |
| Optional Package | - |
| A/C Control Type | Automatic |
| Rear Independent A/C | Standard |
| Rear Air Vents | Standard |
| Temperature Zone Control | ● Standard: tri-zoneair conditioning |
| Tri-Zone Climate Control | ● Standard: tri-zoneair conditioning |
| 6-zoneair conditioning | - |
| In-car Air Purifier | Standard |
| Cabin PM2.5 Filter | Standard |
| Negative-ion Generator | Standard |
| Fragrance System | - |
| AQS Air Quality Management | Standard |
| On-board Refrigerator | - |
| Refrigerator Functions | - |
| Refrigeration | - |
| Heating | - |

Smart Features

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|---|---------------------------------------|
| ADAS Operating System (Summary) | ● Standard: LiAD Pro |
| LiAD Pro | ● Standard: LiAD Pro |
| Li AD Max | - |
| MachsmartassistDriving | - |
| Driver Assistance Chip | ● Standard: Horizon Journey 6M |
| Horizon Journey 6M | ● Standard: Horizon Journey 6M |
| NVIDIA DRIVE Thor-U | - |
| Mach M100 | - |
| Mach M100*2 | - |
| Horizon Journey 5 | - |
| NVIDIA DRIVE Orin X*2 | - |
| Driver Assistance Chip Computing Power (TOPS) | ● Standard: 128 |
| Driving Assist Chip Computing 128 | ● Standard: 128 |
| 508 | - |
| 700 | - |
| 1280 | - |
| 2560 | - |
| Vehicle Smart Chip | ● Standard: highthroughSnapdragon8295 |
| Qualcomm Snapdragon 8295 | ● Standard: highthroughSnapdragon8295 |
| highthroughSnapdragon8797 | - |
| Qualcomm Snapdragon 8155 | - |
| highthroughSnapdragon8155*2 | - |
| Infotainment System Memory (GB) | ● Standard: 24 |
| 12 | - |
| 24 | ● Standard: 24 |

| Parameter | Li L8 2025 Pro smartRenewal Edition |
|---|---|
| 32 | - |
| Infotainment System Storage (GB) | ● Standard: 128 |
| CAR System Storage 128 | ● Standard: 128 |
| Mobile App Remote Control (Summary) | ● Standard: Digital key; ● Standard: Vehicle monitoring; ● Standard: Remote control; ● Standard: Charging management; ● Standard: Service appointment |
| Mobile App Remote Control - Digital Key | ● Standard: Digital key |
| Mobile App Remote Control - Vehicle Monitoring | ● Standard: Vehicle monitoring |
| Mobile App Remote Control | ● Standard: Remote control |
| Mobile App Remote Control - Charging Management | ● Standard: Charging management |
| Mobile App Remote Control - Service Appointment | ● Standard: Service appointment |
| Heat Pump System | - |
| Front Maximum Detection Distance (m) | ● Standard: 200 |
| 200 | ● Standard: 200 |
| Number of Exterior Cameras | 11 |
| Exterior Camera Resolution | ● Standard: 20010k*5unit,3MP x4,80010k*2unit |
| 20010k*5unit,3MP x4,80010k*2unit | ● Standard: 20010k*5unit,3MP x4,80010k*2unit |
| 8MP x6, 2MP x1, 3MP x4 | - |
| 80010k*7unit,3MP x4 | - |
| 80010k*1unit,20010k*5unit,3MP x4 | - |
| 20010k*9unit,80010k*1unit | - |
| 20010k*5unit,8MP x6 | - |
| Interior Camera Count | ● Standard: 1 |
| Incar Camera Count 1 | ● Standard: 1 |
| Incar Camera Count 2 | - |
| Interior Camera Resolution | - |
| Number of Ultrasonic Radars | 12 |
| Millimeter Wave Radar | 1 |
| Laser Radar | 1 |
| LiDAR Brand | Hesai Technology |
| Hesai Technology | Hesai Technology |
| LiDAR Line Count (Lines) | ● Standard: 128 |
| 128 | ● Standard: 128 |
| LiDAR point cloud count (10k/s) | 153 |
| 153 | 153 |
| Sub-meter High-precision Positioning | Standard |
| High-precision Map | Standard |
| Sentinel Mode | Standard |
| V2X Communication | - |
| Optional Package | - |
| Custom Options | Optional exterior, interior, wheels, brakes |