

Li L9 2026 Ultra Specifications

Basic Information

Parameter	Li L9 2026 Ultra
Official Price	RMB 459,800
Manufacturer	Li AutoVehicle
Class	Large SUV
Energy Type	Range Extended
Market Time	2026.05
Electric Description	Range Extended 571horsepower
CLTC Range	350
Wltc Recharge Mileage	350
CLTC Pure Electric Range (km)	420
Combined Driving Range (km), MIIT	-
Combined Range (km) WLTC	1370
Combined Cruising Range Cltc	1650
High-Voltage Fast Charging Platform	● Standard: 800V
400	-
800	● Standard: 800V
Charging Time	Fast charge 10 min
Fast Charging Window (%)	10-80
Maximum Power (kW)	420(571Ps)
Maximum Torque (N·m)	710
Transmission Description	EV single-speed transmission
Length x Width x Height (mm)	5255x2000x1810
Body Structure	5-door 6-seat SUV
Top Speed (km/h)	200
Official 0-100 km/h Acceleration (s)	4.9
WLTC Fuel Consumption (L/100km)	0.23
Energy Consumption (kWh/100km)	22.8
Equivalent Fuel Consumption (L/100km)	2.65
State OF Charge Fuel Consumption	6.3
Fuel Consumption at Low Charge WLTC (L/100km)	6.3
Vehicle Warranty	5 years or 100,000 km
Estimated Maintenance Cost over 60,000 km	-

Body

Parameter	Li L9 2026 Ultra
Length (mm)	5255
Width (mm)	2000
Height (mm)	1810
Wheelbase (mm)	3125
Front Track (mm)	1710
Rear Track (mm)	1725
Minimum Ground Clearance (mm)	172
Body Structure	SUV
Number of Doors	5
Door Opening Type	Hinged doors
Seats	6
Curb Weight (kg)	2755

Parameter	Li L9 2026 Ultra
Gross Weight (kg)	3435
OIL Tank Volume	60.0
Cargo Volume (L)	-
Minimum Turning Radius (m)	5.3m
Drag Coefficient (Cd)	-

Engine

Parameter	Li L9 2026 Ultra
Engine Model	L3E15CA
Displacement (mL)	1498
Displacement (L)	1.5
Aspiration	turbocharged
Engine Layout	Transverse-mounted
Cylinder Arrangement	L
Number of Cylinders	4
Valves per Cylinder	4
Compression Ratio	15.2
Valve Train	DOHC
Maximum Horsepower (Ps)	156
Maximum Power (kW)	115
Maximum Net Power (kW)	112
Maximum Power RPM	4800
Maximum Torque (N-m)	245
Maximum Torque RPM	2500-4000
EngineThermal Efficiency(%)	-
Engine Technology	-
Energy Type	Range Extended
Fuel Grade	95#
Fuel Supply System	direct injection
Cylinder Head Material	Aluminum alloy
Cylinder Block Material	Aluminum alloy
Emission Standard	China VI b

Electric Motor

Parameter	Li L9 2026 Ultra
Electric Description	Range Extended 571horsepower
Motor Type	Frontinduction/asynchronous RearPermanent magnet synchronous
Total Motor Power	420
Total Motor Horsepower (Ps)	571
Total Motor Torque	710
Front Motor Max Power (kW)	145
Front Motor Max Torque (N-m)	265
Rear Motor Max Power (kW)	275
Rear Motor Max Torque (N-m)	445
System Combined Power (kW)	-
System Combined Torque (N-m)	-
Drive Motor Count	Dual motor
Motor Layout	Front-mounted+Rear-mounted

Battery / Charging

Parameter	Li L9 2026 Ultra
Battery Type	Ternary lithium battery
Battery Special Technology	-
Cell Brand	CATL
Battery Warranty	8 years or 160,000 km
Battery Capacity	72.7
Battery Energy Density (Wh/kg)	-
Battery Charging Rate	● Standard: 5C
2	-
5	● Standard: 5C
Battery Charging (Summary)	● Standard: Fast charge 10 min; ● Standard: Fast charging port
Charging Time	Fast charge 10 min
Battery Charging - Fast Charging Port	● Standard: Fast charging port
MAX Fast Charge Power	-
Fast Charging Port Position (Summary)	left fuelboxposition
Left Fuel Tank Position	left fuelboxposition
Fast Charging Port Position - Option	-
Slow Charging Port Position (Summary)	left fuelboxposition
Left Fuel Tank Position	left fuelboxposition
Slow Charging Port Position - Option	-
Battery Heating System	Standard
Battery Cooling System	Liquid cooling
One-pedal Mode	-
VTOL Mobile Power Station	Standard
VTOL Maximum External Discharge Power	3.5kW
VTOV Maximum External Discharge Power	-

Transmission

Parameter	Li L9 2026 Ultra
Transmission Description	EV single-speed transmission
Number of Gears	1
Transmission Type	Fixed Gear Ratio Transmission

Chassis / Steering

Parameter	Li L9 2026 Ultra
Drive Type	Dual motor4WD
Four-wheel-drive Type	Electric AWD
Front Suspension	double wishbone independent suspension
Rear Suspension	Multi-link independent suspension
Steering Type	electronic power steering
Vehicle Body Structure	Unibody

Wheels / Brakes

Parameter	Li L9 2026 Ultra
Front Brake Type	Ventilated disc
Rear Brake Type	Ventilated disc
Parking Brake Type	Electronic parking brake
Front Tire Size	285/45 R21
Rear Tire Size	285/45 R21
Spare Tire Specification	-
Spare Tire Location	-
Active Safety	-

Parameter	Li L9 2026 Ultra
ABS	Standard
Brake-force Distribution (EBD/CBC)	Standard
Brake Assist (EBA/BA)	Standard
Traction Control (TCS/ASR)	Standard
Body Stability System (ESP/DSC)	Standard
Active Safety Warning System	● Standard: Lane departure warning; ● Standard: Forward collision warning; ● Standard: Rear collision warning; ● Standard: Rear cross traffic alert; ● Standard: DOW door opening warning; ● Standard: Front cross traffic alert; ● Standard: Front cross traffic braking
Active Safety Warning System - Lane Departure Warning	● Standard: Lane departure warning
Active Safety Warning System - Forward Collision Warning	● Standard: Forward collision warning
Rear collision warning	● Standard: Rear collision warning
Rear cross traffic alert	● Standard: Rear cross traffic alert
DOW door opening warning	● Standard: DOW door opening warning
Front cross traffic alert	● Standard: Front cross traffic alert
Front cross traffic braking	● Standard: Front cross traffic braking
Automatic Emergency Braking	Standard
Blind Spot Assist	Standard
Lane Keeping Assist	Standard
Lane Centering Assist	Standard
Driver Fatigue Warning	Standard
Active DMS Fatigue Detection	Standard
Cabin Vital-sign Detection	Standard
Traffic Sign Recognition	Standard
Traffic Light Recognition	Standard
Night Vision System	-
Interior Features	-
Front Airbags (Summary)	● Standard: Driver seat; ● Standard: Passenger seat
Front Airbags - Driver	● Standard: Driver seat
Front Airbags - Front Passenger	● Standard: Passenger seat
Side Airbags (Summary)	● Standard: Front row; ● Standard: Rear row
Side Airbags - Front Row	● Standard: Front row
Rear row	● Standard: Rear row
Side Curtain Airbags	Standard
Front Knee Airbags	-
Center Airbag	● Standard: Front row
Front row	● Standard: Front row
Rear rowSeatsAnti-Submarine Airbag	Standard
Seat Belt Reminder	Standard
TPMS	Tire pressure display
ISOFIX	Standard
Passive Pedestrian Protection	-
Run-flat Tire	-
Driver Assistance / Control	-
Parking Radar (Summary)	● Standard: Front; ● Standard: Rear
Front	● Standard: Front
Parking Radar - Rear	● Standard: Rear
Front Vehicle Departure Reminder	Standard
Narrow Road Assistance	Standard
Driving Assistance Camera (Summary)	● Standard: Rear view camera; ● Standard: Side Blind-Spot Camera; ● Standard: 360-degree panoramic camera; ● Standard: Transparent view
Driving Assistance Camera - Reverse Camera	● Standard: Rear view camera
Side Blind Zone Camera	● Standard: Side Blind-Spot Camera
Driving Assistance Camera - 360° Panoramic Camera	● Standard: 360-degree panoramic camera

Parameter	Li L9 2026 Ultra
Driving Assistance Camera - Transparent Chassis View	● Standard: Transparent view
Cruise System (Summary)	● Standard: Cruise control; ● Standard: Adaptive cruise control; ● Standard: Full-speed adaptive cruise control
Cruise System - Option	● Standard: Cruise control
Cruise System - Adaptive Cruise Control	● Standard: Adaptive cruise control
Cruise System - Full-speed Adaptive Cruise Control	● Standard: Full-speed adaptive cruise control
Automatic Lane Change Assist	Standard
Automatic Ramp Exit / Entry	Standard
Navigation Assisted Driving	● Standard: Urban navigation assist; ● Standard: Highway navigation assist
Urban navigation assist	● Standard: Urban navigation assist
Highway navigation assist	● Standard: Highway navigation assist
ADAS Level	L2
Automatic Parking	Standard
Reverse Path Tracking	-
Memory Parking	Standard
Automatic Valet Parking	Standard
Auto Hold	Standard
Hill Start Assist (HAC)	Standard
Hill Descent Control (HDC)	Standard
Engine SAS Tech	-
Variable Suspension	Damping stiffness adjustment+high/low
Air Suspension	Standard
Air Suspension Type	● Standard: dual-chamber
Dual Chamber	● Standard: dual-chamber
Single Chamber	-
Electromagnetic Suspension	-
Magic Body Control	Standard
Variable Steering Ratio	-
Front Axle Limited-slip Type	-
Rear Axle Limited-slip Type	-
Center Differential Lock	-
Four WD LOW	-
Active Rear Steering	Standard
Drive Mode Selection (Summary)	● Standard: Sport; ● Standard: off-road; ● Standard: Snow; ● Standard: unitPersonalized; ● Standard: ECO/Economy; ● Standard: Standard Comfort
Drive Mode Selection - Sport	● Standard: Sport
Drive Mode Selection - Off-road	● Standard: off-road
Drive Mode Selection - Snow	● Standard: Snow
Drive Mode Selection - Custom	● Standard: unitPersonalized
Drive Mode Selection - ECO	● Standard: ECO/Economy
Drive Mode Selection - Standard / Comfort	● Standard: Standard Comfort
LaunchMode	-
Brake Energy Recovery	Standard
Comfortable Braking	Standard
Low-speed Warning Sound	Standard
Interior Features	-
Sunroof Type	Segmented fixed sunroof
Panoramic Roof Sunshade	Standard
Smart Dimming Roof	-
Roof Rack	-
Sport Appearance Package	-
Power Spoiler	-
Active Grille Shutters	Standard

Parameter	Li L9 2026 Ultra
Alloy Wheels	Standard
Side Steps	■ Optional: Power (RMB 10,000)
Power	■ Optional: Power (RMB 10,000)
Frameless Doors	-
Hidden Door Handles	-
Tow Hook	Optional (RMB 6,000)
Comfort / Anti-theft	-
Steering Wheel Material (Summary)	● Standard: Genuine leather
Genuine leather	● Standard: Genuine leather
Steering Wheel Adjustment	Tilt and telescopic
Power Steering Wheel Adjustment	Standard
Steering Wheel Functions (Summary)	● Standard: Multifunction controls; ● Standard: Memory; ● Standard: Heating
Steering Wheel Functions - Multi-function Control	● Standard: Multifunction controls
Memory	● Standard: Memory
Heating	● Standard: Heating
Gear Selector Type (Summary)	● Standard: Electronic column shifter
Gear Selector Type - Option	● Standard: Electronic column shifter
LCD Cluster Style	-
LCD Cluster Size (in) (Summary)	-
4.82	-
Smart Connectivity	-
Soft-close Doors	Standard
PowerSwing/Swing-Up Door	-
Power Tailgate	Standard
Hands-free Tailgate	Standard
Tailgate Position Memory	Standard
Engine Anti Theft	Standard
Central Locking	Standard
Remote Key Type (Summary)	● Standard: Phone Bluetooth key; ● Standard: NFC/RFID key; ● Standard: UWBDigital key
Remote Key Type - Smart Remote Key	-
Remote Key Type - Bluetooth Key	● Standard: Phone Bluetooth key
Remote Key Type - NFC/RFID Key	● Standard: NFC/RFID key
UWBDigital key	● Standard: UWBDigital key
Keyless Entry	All windows
Keyless Start	Standard
Remote Start	Standard
Remote Vehicle Move	Standard
Vehicle Summon	Standard
Head-up Display (HUD)	Standard
HUD Projection Size (in)	-
13.35	-
Built-in Driving Recorder	Standard
Factory ETC	Standard
Active Noise Cancellation	Standard
Wireless Phone Charging	Standard
Wireless Charging MAX Power (Summary)	50
15	-
Wireless Charging MAX Power 50	50
AC Power Outlet	Standard
Cargo 12V Power Outlet	Standard
Seat Features	-
Seat Material	Genuine leather
SeatsLeatherStyle	NappaGenuine leather

Parameter	Li L9 2026 Ultra
Sport Seats	-
Seat Layout	● Standard: 2+2+2
2+2+2	● Standard: 2+2+2
Second-row Independent Seats	Standard
Third-row Seats	2-seat
Queen Seat	-
Zero Gravity Seat	Standard
Power Seat Adjustment (Summary)	● Standard: Driver seat; ● Standard: Passenger seat; ● Standard: second row; ● Standard: third rowPower adjustment
Power Seat Adjustment - Driver	● Standard: Driver seat
Seat Power Adjustment - Front Passenger	● Standard: Passenger seat
Second Row	● Standard: second row
Third RowPower adjustment	● Standard: third rowPower adjustment
Sunken Rear Seat Folding	-
Driver Seat Main Adjustments (Summary)	● Standard: Fore-aft adjustment; ● Standard: Backrest angle; ● Standard: Height adjustment
Driver Seat Main Adjustments - Fore / Aft	● Standard: Fore-aft adjustment
Driver Seat Main Adjustments - Backrest Angle	● Standard: Backrest angle
Driver Seat Main Adjustments - Height Adjustment	● Standard: Height adjustment
Driver Seat Fine Adjustments (Summary)	● Standard: Headrest; ● Standard: lumbar; ● Standard: Leg rest
Driver Seat Fine Adjustments - Headrest	● Standard: Headrest
Lumbar	● Standard: lumbar
Leg rest	● Standard: Leg rest
Front Passenger Seat Main Adjustments (Summary)	● Standard: Fore-aft adjustment; ● Standard: Height adjustment; ● Standard: Backrest angle
Front Passenger Seat Main Adjustments - Fore / Aft	● Standard: Fore-aft adjustment
Height adjustment	● Standard: Height adjustment
Front Passenger Seat Main Adjustments - Backrest Angle	● Standard: Backrest angle
Front Passenger Seat Fine Adjustments (Summary)	● Standard: Headrest; ● Standard: lumbar; ● Standard: Leg rest
Front Passenger Seat Fine Adjustments - Headrest	● Standard: Headrest
Lumbar	● Standard: lumbar
Leg rest	● Standard: Leg rest
Second-row Seat Main Adjustments (Summary)	● Standard: Fore-aft adjustment; ● Standard: Backrest angleAdjustment
Fore-aft adjustment	● Standard: Fore-aft adjustment
Second-row Seat Main Adjustments - Option	● Standard: Backrest angleAdjustment
Second-row Seat Fine Adjustments	● Standard: Leg rest
Leg rest	● Standard: Leg rest
Lumbar	-
Front Seat Functions	● Standard: Heating; ● Standard: Ventilation; ● Standard: Memory; ● Standard: Massage
Front Seat Functions - Option	● Standard: Heating
Ventilation	● Standard: Ventilation
Memory	● Standard: Memory
Massage	● Standard: Massage
Second-row Seat Functions	● Standard: Heating; ● Standard: Memory; ● Standard: Ventilation; ● Standard: Massage
Heating	● Standard: Heating
Memory	● Standard: Memory
Ventilation	● Standard: Ventilation
Massage	● Standard: Massage
Third-row Seat Functions	● Standard: Heating
Heating	● Standard: Heating
Boss Key	Standard
Front / Rear Armrests (Summary)	● Standard: Front row; ● Standard: Rear row
Front / Rear Armrests - Front Row	● Standard: Front row
Rear row	● Standard: Rear row

Parameter	Li L9 2026 Ultra
Rear Cup Holder	Standard
Heated / Cooled Cup Holder	-
Front Seats Flattened	Standard
Rear Seat Folding Ratio	50:50
Power-folding Rear Seats	Standard
Second-row Tray Table	Standard
Smart Connectivity	-
Center Screen Size (in)	29
Center Screen Material	-
OLED	-
Center Screen Resolution (Summary)	6K
6K	6K
3K (2880x1620)	-
Center Console ColorColorScreen Pixel Density(PPI)	-
210	-
Passenger Screen Size (in)	-
15.7	-
Passenger Screen Resolution	-
2880x1620	-
Passenger Screen Pixel Density(PPI)	-
210	-
Passenger Screen Resolution (K)	-
3K	-
Satellite Navigation	Standard
AR Navigation	-
Navigation Traffic Display	Standard
MAP Brand (Summary)	● Standard: Amap
Amap	● Standard: Amap
Roadside Assistance	Standard
Bluetooth / Car Phone	Standard
Phone Mirroring (Summary)	-
Connected Car	Standard
Mobile Network (Summary)	● Standard: 5G
5G	● Standard: 5G
OTA Upgrade	Standard
Face Recognition	Standard
Fingerprint Recognition	-
Voiceprint Recognition	Standard
Emotion Recognition	-
Voice Recognition Control	Standard
Wake-word-free Voice Control	Standard
Voice Wake-up by Zone (Summary)	● Standard: 6-tone zone
6-tone zone	● Standard: 6-tone zone
Continuous Voice Recognition	Standard
Visible-to-speak Control	Standard
Voice Assistant Wake-up Phrase	Li Assistant
Gesture Control	Standard
Wi-Fi Hotspot	Standard
Featured Configuration	-
Multi-finger Screen Control	-
App Store	Standard
Media Interface (Summary)	● Standard: USB/Type-C
Media Interface - USB/Type-C	● Standard: USB/Type-C

Parameter	Li L9 2026 Ultra
USB/Type-C Port Count (Summary)	● Standard: Front row: 2; ● Standard: Rear row: 4
USB/Type-C Port Count - 2 Front	● Standard: Front row: 2
USB/Type-C Port Count - 1 Rear	● Standard: Rear row: 4
USB/Type-C Max Charging Power	Front row15W; Rear row67W
Front row: 15 W	Front row: 15 W
Rear row: 67 W	Rear row: 67 W
Rear row: 60 W	-
In-car TV	-
Rear LCD Screen	Standard
Rear rowScreen Size(Inch)	● Standard: 21
15.7	-
21	● Standard: 21
21.4	-
Rear rowEntertainment Screen Resolution(K)	4K
Simulated Engine Sound	-
Karaoke	Standard
Audio Brand	-
Number of Speakers	33
Dolby Atmos	Standard
Sound System Layout	9.3.6
Amplifier Max Output Power (W)	● Standard: 5440
1920	-
2160	-
5440	● Standard: 5440
Seat Speakers (Headrest / Shoulder)	Standard
SKY Sound Channel	Standard
Rear Multimedia Controls	Standard
Winter UpgradeLevelPackage	-
Low Beam	LED
High Beam	LED
Daytime Running Lights	Standard
Adaptive High / Low Beam	Standard
Automatic Headlights	Standard
Cornering Lights	Standard
Front Fog Lights	-
Adaptive Front-lighting System (AFS)	-
Headlight Height Adjustment	Standard
Headlight Washers	-
Ambient Lighting	Multi-color
Active Ambient Lighting	● Standard
Standard	● Standard
Special Lighting Functions	-
Lighting Projection Technology	-
Headlight Delay-off	Standard
Headlamp Rain / Fog Mode	-
Dual ChamberAir SuspensionAlBottomDiscsetTrim	-
Power Windows (Summary)	● Standard: Front row; ● Standard: Rear row
Power Windows - Front Row	● Standard: Front row
Power Windows - Option	● Standard: Rear row
One-touch Windows	All windows
Anti-pinch Windows	Standard
Exterior Mirror Functions (Summary)	● Standard: Power adjustment; ● Standard: Heating; ● Standard: Power folding; ● Standard: Memory; ● Standard: ReverseAutomatictilt-down; ● Standard: Auto-fold on lock; ● Standard: Automatic anti-glare

Parameter	Li L9 2026 Ultra
Exterior Mirror Functions - Option	● Standard: Power adjustment
Exterior Mirror Functions - Heating	● Standard: Heating
Exterior Mirror Functions - Power Folding	● Standard: Power folding
Memory	● Standard: Memory
ReverseAutomatictilt-down	● Standard: ReverseAutomatictilt-down
Exterior Mirror Functions - Auto Fold on Lock	● Standard: Auto-fold on lock
Automatic anti-glare	● Standard: Automatic anti-glare
Interior Mirror Functions	● Standard: Automatic anti-glare; ● Standard: streaming media
Automatic anti-glare	● Standard: Automatic anti-glare
Streaming Media	● Standard: streaming media
Vanity Mirror (Summary)	● Standard: Driver seat+with lighting; ● Standard: Passenger seat+with lighting; ● Standard: Rear row+with lighting
Vanity Mirror - Option	● Standard: Driver seat+with lighting
Vanity Mirror - Option	● Standard: Passenger seat+with lighting
Rear row+with lighting	● Standard: Rear row+with lighting
Rear Privacy Glass	Standard
Interior Sunshade	● Standard: Rearwindow side sunshade
RearWindow sunshade	● Standard: Rearwindow side sunshade
Rain-sensing Wipers	Standard
Rear Wiper	Standard
Rear Window Open Method	-
Multi-layer Acoustic Glass	Front row+Rear row
Heated Windshield	-
Heated Washer Nozzles	-
Air Conditioning / Refrigerator	-
A/C Control Type	Automatic
Rear Independent A/C	Standard
Rear Air Vents	Standard
Temperature Zone Control	● Standard: 7-zoneair conditioning
Tri-Zone Climate Control	-
7-zoneair conditioning	● Standard: 7-zoneair conditioning
In-car Air Purifier	Standard
Cabin PM2.5 Filter	Standard
Negative-ion Generator	Standard
Fragrance System	Standard
AQS Air Quality Management	Standard
On-board Refrigerator	Standard
Refrigerator Functions	● Standard: Refrigeration; ● Standard: Heating; ● Standard: Freezing
Refrigeration	● Standard: Refrigeration
Heating	● Standard: Heating
Freezing	● Standard: Freezing

Smart Features

Parameter	Li L9 2026 Ultra
ADAS Operating System (Summary)	● Standard: MachsmartassistDriving
MachsmartassistDriving	● Standard: MachsmartassistDriving
LiAD Pro	-
Li AD Max	-
Driver Assistance Chip	● Standard: Mach M100
Mach M100	● Standard: Mach M100
Mach M100*2	-
Horizon Journey 6M	-

Parameter	Li L9 2026 Ultra
NVIDIA DRIVE Thor-U	-
Horizon Journey 5	-
NVIDIA DRIVE Orin X*2	-
Driver Assistance Chip Computing Power (TOPS)	● Standard: 1280
Driving Assist Chip Computing 128	-
508	-
700	-
1280	● Standard: 1280
2560	-
Vehicle Smart Chip	● Standard: highthroughSnapdragon8797
highthroughSnapdragon8797	● Standard: highthroughSnapdragon8797
Qualcomm Snapdragon 8295	-
highthroughSnapdragon8155*2	-
Infotainment System Memory (GB)	● Standard: 32
24	-
32	● Standard: 32
48	-
Infotainment System Storage (GB)	● Standard: 256
CAR System Storage 128	-
256	● Standard: 256
Mobile App Remote Control (Summary)	● Standard: Vehicle monitoring; ● Standard: Remote control; ● Standard: Charging management; ● Standard: Service appointment; ● Standard: Digital key
Mobile App Remote Control - Vehicle Monitoring	● Standard: Vehicle monitoring
Mobile App Remote Control	● Standard: Remote control
Mobile App Remote Control - Charging Management	● Standard: Charging management
Mobile App Remote Control - Service Appointment	● Standard: Service appointment
Mobile App Remote Control - Digital Key	● Standard: Digital key
Heat Pump System	Standard
Front Maximum Detection Distance (m)	-
200	-
Number of Exterior Cameras	12
Exterior Camera Resolution	● Standard: 80010k*7,30010k*4
80010k*7,30010k*4	● Standard: 80010k*7,30010k*4
80010k*2,20010k*5,30010k*4	-
80010k*6,20010k*1,30010k*4	-
80010k*1unit,20010k*5unit,3MP x4	-
8MP x6,3MP x4,2MP x1	-
20010k*9unit,80010k*1unit	-
20010k*5unit,8MP x6	-
Interior Camera Count	● Standard: 2
Incar Camera Count 2	● Standard: 2
Interior Camera Resolution	-
Number of Ultrasonic Radars	-
Millimeter Wave Radar	1
Laser Radar	1
LiDAR Brand	Hesai Technology
Hesai Technology	Hesai Technology
LiDAR Line Count (Lines)	-
128	-
LiDAR point cloud count (10k/s)	-
153	-
Sub-meter High-precision Positioning	Standard
High-precision Map	-

Parameter	Li L9 2026 Ultra
Sentinel Mode	Standard
V2X Communication	-
Optional Package	-
Custom Options	Optional exterior, interior, wheels, brakes
SpecialcolorConfiguration	-
Driver Magic CarpetSeats	-
Driver Magic CarpetSeats	-