

Yangguang EV 2026 440km Commercial Operation Version9-seat Specifications

Basic Information

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Official Price	RMB 125,800
Manufacturer	SAIC-GM-Wuling
Class	Light Bus
Energy Type	Pure Electric
Market Time	2026.04
Electric Description	Pure Electric 136 hp
CLTC Range	440
CLTC Pure Electric Range (km)	440
Charging Time	Fast charge 20 min
Fast Charging Window (%)	30-80
Maximum Power (kW)	100(136Ps)
Maximum Torque (N-m)	200
Transmission Description	EV single-speed transmission
Length x Width x Height (mm)	5010x1800x1960
Body Structure	5-door 9-seat Passenger vehicle
Top Speed (km/h)	100
Energy Consumption (kWh/100km)	13.7
Equivalent Fuel Consumption (L/100km)	1.59
Estimated Maintenance Cost over 60,000 km	-

Body

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Length (mm)	5010
Width (mm)	1800
Height (mm)	1960
Wheelbase (mm)	3050
Front Track (mm)	1566
Rear Track (mm)	1566
Minimum Ground Clearance (mm)	-
Body Structure	Passenger vehicle
Number of Doors	5
Door Opening Type	Sliding side door
Seats	9
Curb Weight (kg)	1750
MAX Load Weight	-
Gross Weight (kg)	2550
Cargo Volume (L)	950-1850
Minimum Turning Radius (m)	-

Electric Motor

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Electric Description	Pure Electric 136 hp
Motor Type	Permanent magnet synchronous
Total Motor Power	100

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Total Motor Horsepower (Ps)	136
Total Motor Torque	200
Rear Motor Max Power (kW)	100
Rear Motor Max Torque (N-m)	200
Drive Motor Count	Single motor
Motor Layout	Rear-mounted

Battery / Charging

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Battery Type	LFP Battery
Battery Special Technology	Shenlian Battery
Cell Brand	Sunwoda / REPT
Battery Warranty	8 years or 600,000 km
Battery Capacity	56.2
Battery Energy Density (Wh/kg)	-
Battery Charging Rate	● Standard: 2C
2	● Standard: 2C
Battery Charging (Summary)	● Standard: Fast charge 20 min; ● Standard: Fast charging port
Charging Time	Fast charge 20 min
Battery Charging - Fast Charging Port	● Standard: Fast charging port
Fast Charging Port Position (Summary)	Behind front emblem
Behind front emblem	Behind front emblem
Slow Charging Port Position (Summary)	Behind front emblem
Behind front emblem	Behind front emblem
Battery Heating System	-
Battery Cooling System	Liquid cooling
One-pedal Mode	-
VTOL Mobile Power Station	-
VTOL Maximum External Discharge Power	-
VTOV Maximum External Discharge Power	-

Transmission

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Transmission Description	EV single-speed transmission
Number of Gears	1
Transmission Type	Fixed Gear Ratio Transmission

Chassis / Steering

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Drive Type	Rear-mounted RWD
Front Suspension	MacPherson independent suspension
Rear Suspension	Rigid axle non-independent suspension
Steering Type	Electric power steering
Vehicle Body Structure	Unibody

Wheels / Brakes

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Front Brake Type	Solid disc
Rear Brake Type	Solid disc
Parking Brake Type	Electronic parking brake
Front Tire Size	195/70 R15

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Rear Tire Size	195/70 R15
Spare Tire Specification	-
Active Safety	-
ABS	Standard
Brake-force Distribution (EBD/CBC)	Standard
Brake Assist (EBA/BA)	-
Traction Control (TCS/ASR)	-
Body Stability System (ESP/DSC)	Standard
Active Safety Warning System	● Standard: Lane departure warning
Active Safety Warning System - Lane Departure Warning	● Standard: Lane departure warning
Active Safety Warning System - Forward Collision Warning	-
Automatic Emergency Braking	-
Blind Spot Assist	-
Lane Keeping Assist	-
Lane Centering Assist	-
Driver Fatigue Warning	-
Active DMS Fatigue Detection	-
Cabin Vital-sign Detection	-
Traffic Sign Recognition	-
Traffic Light Recognition	-
Night Vision System	-
Passive Safety	-
Front Airbags (Summary)	● Standard: Driver seat; ● Standard: Passenger seat
Front Airbags - Driver	● Standard: Driver seat
Front Airbags - Front Passenger	● Standard: Passenger seat
Side Airbags (Summary)	-
Side Curtain Airbags	-
Front Knee Airbags	-
Center Airbag	-
Seat Belt Reminder	-
TPMS	Tire pressure warning
ISOFIX	-
Passive Pedestrian Protection	-
Run-flat Tire	-
Driver Assistance / Control	-
Parking Radar (Summary)	● Standard: Rear
Parking Radar - Rear	● Standard: Rear
Front Vehicle Departure Reminder	-
Driving Assistance Camera (Summary)	-
Driving Assistance Camera - Reverse Camera	-
Cruise System (Summary)	-
Cruise System - Option	-
Cruise System - Adaptive Cruise Control	-
Automatic Lane Change Assist	-
Automatic Ramp Exit / Entry	-
Navigation Assisted Driving	-
ADAS Level	-
Automatic Parking	-
Reverse Path Tracking	-
Memory Parking	-
Auto Hold	Standard
Hill Start Assist (HAC)	Standard

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Hill Descent Control (HDC)	-
Variable Suspension	-
Air Suspension	-
Air Suspension Type	-
Electromagnetic Suspension	-
Variable Steering Ratio	-
Front Axle Limited-slip Type	-
Rear Axle Limited-slip Type	-
Center Differential Lock	-
Active Rear Steering	-
Drive Mode Selection (Summary)	-
Brake Energy Recovery	Standard
Low-speed Warning Sound	Standard
Exterior Features	-
Sunroof Type	-
Smart Dimming Roof	-
Roof Rack	-
Sport Appearance Package	-
Power Spoiler	-
Active Grille Shutters	-
Sliding side door	● Standard: Manual open/close
Manual open/close	● Standard: Manual open/close
Alloy Wheels	-
Frameless Doors	-
Hidden Door Handles	-
Tow Hook	-
Interior Features	-
Steering Wheel Material (Summary)	● Standard: Plastic
Steering Wheel Material - Plastic	● Standard: Plastic
Steering Wheel Adjustment	Tilt
Power Steering Wheel Adjustment	-
Steering Wheel Functions (Summary)	-
Steering Wheel Functions - Multi-function Control	-
Gear Selector Type (Summary)	● Standard: Electronic rotary selector
Gear Selector Type - Electronic Rotary Selector	● Standard: Electronic rotary selector
Rotary column shifter	-
LCD Cluster Style	Non-full LCD
LCD Cluster Size (in) (Summary)	-
Comfort / Anti-theft	-
Soft-close Doors	-
Power Tailgate	-
Hands-free Tailgate	-
Tailgate Position Memory	-
Central Locking	-
Remote Key Type (Summary)	● Standard: Remote key
Remote Key Type - Conventional Remote Key	● Standard: Remote key
Keyless Entry	-
Keyless Start	-
Remote Start	-
Remote Vehicle Move	-
Vehicle Summon	-
Head-up Display (HUD)	-
Built-in Driving Recorder	-

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Active Noise Cancellation	-
Wireless Phone Charging	-
AC Power Outlet	-
Cargo 12V Power Outlet	-
Seat Features	-
Seat Material	Fabric
Sport Seats	-
Second-row Independent Seats	-
Power Seat Adjustment (Summary)	-
Sunken Rear Seat Folding	-
Driver Seat Main Adjustments (Summary)	● Standard: Fore-aft adjustment; ● Standard: Backrest angle
Driver Seat Main Adjustments - Fore / Aft	● Standard: Fore-aft adjustment
Driver Seat Main Adjustments - Backrest Angle	● Standard: Backrest angle
Driver Seat Fine Adjustments (Summary)	● Standard: Headrest
Driver Seat Fine Adjustments - Headrest	● Standard: Headrest
Front Passenger Seat Main Adjustments (Summary)	● Standard: Fore-aft adjustment; ● Standard: Backrest angle
Front Passenger Seat Main Adjustments - Fore / Aft	● Standard: Fore-aft adjustment
Front Passenger Seat Main Adjustments - Backrest Angle	● Standard: Backrest angle
Front Passenger Seat Fine Adjustments (Summary)	● Standard: Headrest
Front Passenger Seat Fine Adjustments - Headrest	● Standard: Headrest
Second-row Seat Main Adjustments (Summary)	-
Second-row Seat Fine Adjustments	-
Front Seat Functions	-
Second-row Seat Functions	-
Boss Key	-
Front / Rear Armrests (Summary)	-
Rear Cup Holder	-
Heated / Cooled Cup Holder	-
Rear Seat Folding Ratio	-
Second-row Tray Table	-
Smart Connectivity	-
Center Screen Size (in)	-
Center Screen Material	-
Satellite Navigation	-
AR Navigation	-
Navigation Traffic Display	-
Roadside Assistance	-
Bluetooth / Car Phone	-
Phone Mirroring (Summary)	-
Connected Car	-
Mobile Network (Summary)	-
OTA Upgrade	-
Face Recognition	-
Fingerprint Recognition	-
Voiceprint Recognition	-
Emotion Recognition	-
Voice Recognition Control	-
Wake-word-free Voice Control	-
Voice Wake-up by Zone (Summary)	-
Continuous Voice Recognition	-
Visible-to-speak Control	-
Voice Assistant Wake-up Phrase	-

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Gesture Control	-
Wi-Fi Hotspot	-
Audio / Entertainment	-
Multi-finger Screen Control	-
App Store	-
Media Interface (Summary)	● Standard: USB/Type-C
Media Interface - USB/Type-C	● Standard: USB/Type-C
USB/Type-C Port Count (Summary)	● Standard: Front row: 1
USB/Type-C Port Count - 2 Front	● Standard: Front row: 1
USB/Type-C Max Charging Power	-
In-car TV	-
Rear LCD Screen	-
Simulated Engine Sound	-
Audio Brand	-
Number of Speakers	2
Rear Multimedia Controls	-
Lighting	-
Low Beam	LED
High Beam	LED
Daytime Running Lights	-
Adaptive High / Low Beam	-
Automatic Headlights	-
Cornering Lights	-
Front Fog Lights	-
Adaptive Front-lighting System (AFS)	-
Headlight Height Adjustment	Standard
Headlight Washers	-
Ambient Lighting	-
Active Ambient Lighting	-
Special Lighting Functions	-
Lighting Projection Technology	-
Headlight Delay-off	-
Headlamp Rain / Fog Mode	-
Windows / Mirrors	-
Power Windows (Summary)	● Standard: Front row
Power Windows - Front Row	● Standard: Front row
One-touch Windows	-
Anti-pinch Windows	-
Exterior Mirror Functions (Summary)	-
Interior Mirror Functions	-
Vanity Mirror (Summary)	-
Rear Privacy Glass	-
Interior Sunshade	-
Rain-sensing Wipers	-
Rear Wiper	-
Multi-layer Acoustic Glass	-
Heated Windshield	-
Heated Washer Nozzles	-
Air Conditioning / Refrigerator	-
A/C Control Type	Manual
Rear Independent A/C	-
Rear Air Vents	-
Temperature Zone Control	-

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
In-car Air Purifier	-
Cabin PM2.5 Filter	-
Negative-ion Generator	-
Fragrance System	-
AQS Air Quality Management	-
On-board Refrigerator	-
Refrigerator Functions	-

Smart Features

Parameter	Yangguang EV 2026 440km Commercial Operation Version9-seat
Mobile App Remote Control (Summary)	-
Heat Pump System	-
Number of Exterior Cameras	-
1	-
Exterior Camera Resolution	-
Interior Camera Resolution	-
Number of Ultrasonic Radars	2
Sub-meter High-precision Positioning	-
High-precision Map	-
Sentinel Mode	-
V2X Communication	-
Optional Package	-
Smart Option Package	-
Smart Option Package	-
Smart Option Package	-