

XPeng G6 2026 Extended RangeRange 1704 Max Specifications

Basic Information

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Official Price	RMB 186,800
Manufacturer	XPengVehicle
Class	Mid-sizeSUV
Energy Type	Range Extended
Market Time	2026.03
Electric Description	Range Extended 296horsepower
CLTC Range	325
Wltc Recharge Mileage	325
CLTC Pure Electric Range (km)	430
Combined Cruising Range Cltc	1704
High-Voltage Fast Charging Platform	● Standard: 800V
800	● Standard: 800V
Charging Time	Fast charge 12 min
Fast Charging Window (%)	10-80
Maximum Power (kW)	218(296Ps)
Maximum Torque (N·m)	450
Transmission Description	EV single-speed transmission
Length x Width x Height (mm)	4771x1920x1650
Body Structure	5-door 5-seat SUV
Top Speed (km/h)	202
Official 0-100 km/h Acceleration (s)	6.7
WLTC Fuel Consumption (L/100km)	0.09
Energy Consumption (kWh/100km)	18.4
Equivalent Fuel Consumption (L/100km)	2.14
State OF Charge Fuel Consumption	5.9
Fuel Consumption at Low Charge WLTC (L/100km)	5.9
Vehicle Warranty	5 years or 120,000 km
Estimated Maintenance Cost over 60,000 km	-

Body

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Length (mm)	4771
Width (mm)	1920
Height (mm)	1650
Wheelbase (mm)	2890
Front Track (mm)	1635
Rear Track (mm)	1650
Minimum Ground Clearance (mm)	-
Body Structure	SUV
Number of Doors	5
Door Opening Type	Hinged doors
Seats	5
Curb Weight (kg)	2175
Gross Weight (kg)	2580
OIL Tank Volume	60.0

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Cargo Volume (L)	635-1740
Minimum Turning Radius (m)	5.8m
Drag Coefficient (Cd)	-

Engine

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Engine Model	DAM15NTE
Displacement (mL)	1499
Displacement (L)	1.5
Aspiration	turbocharged
Engine Layout	Transverse-mounted
Cylinder Arrangement	L
Number of Cylinders	4
Valves per Cylinder	4
Compression Ratio	-
Valve Train	DOHC
Maximum Horsepower (Ps)	150
Maximum Power (kW)	110
Maximum Net Power (kW)	110
Maximum Power RPM	5500
Maximum Torque (N-m)	220
Maximum Torque RPM	2500-4000
Engine Technology	-
Energy Type	Range Extended
Fuel Grade	92#
Fuel Supply System	direct injection
Cylinder Head Material	Aluminum alloy
Cylinder Block Material	Aluminum alloy
Emission Standard	China VI

Electric Motor

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Electric Description	Range Extended 296horsepower
Motor Type	Permanent magnet synchronous
Total Motor Power	218
Total Motor Horsepower (Ps)	296
Total Motor Torque	450
Front Motor Max Power (kW)	-
Front Motor Max Torque (N-m)	-
Rear Motor Max Power (kW)	218
Rear Motor Max Torque (N-m)	450
Drive Motor Count	Single motor
Motor Layout	Rear-mounted

Battery / Charging

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Battery Type	LFP Battery
Cell Brand	EVEPowertrain
Battery Warranty	8 years or 160,000 km
Battery Capacity	55.8
Battery Energy Density (Wh/kg)	-

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Battery Charging Rate	● Standard: 5C
Battery Charging Rate - 3	-
5	● Standard: 5C
Battery Charging (Summary)	● Standard: Fast charge 12 min; ● Standard: Fast charging port
Charging Time	Fast charge 12 min
Battery Charging - Fast Charging Port	● Standard: Fast charging port
MAX Fast Charge Power	-
Fast Charging Port Position (Summary)	Right rear fender
Fast Charging Port Position - Option	Right rear fender
Slow Charging Port Position (Summary)	Right rear fender
Slow Charging Port Position - Option	Right rear fender
Battery Heating System	Standard
Battery Cooling System	Liquid cooling
One-pedal Mode	Standard
VTOL Mobile Power Station	Standard
VTOL Maximum External Discharge Power	6kW
VTOV Maximum External Discharge Power	-

Transmission

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Transmission Description	EV single-speed transmission
Number of Gears	1
Transmission Type	Fixed Gear Ratio Transmission

Chassis / Steering

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Drive Type	Rear-mounted RWD
Four-wheel-drive Type	-
Front Suspension	double wishbone independent suspension
Rear Suspension	Multi-link independent suspension
Steering Type	Electric power steering
Vehicle Body Structure	Unibody

Wheels / Brakes

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Front Brake Type	Ventilated disc
Rear Brake Type	Ventilated disc
Parking Brake Type	Electronic parking brake
Front Tire Size	235/60 R18
Rear Tire Size	235/60 R18
Spare Tire Specification	-
Spare Tire Location	-
Active Safety	-
ABS	Standard
Brake-force Distribution (EBD/CBC)	Standard
Brake Assist (EBA/BA)	Standard
Traction Control (TCS/ASR)	Standard
Body Stability System (ESP/DSC)	Standard
Active Safety Warning System	● Standard: Lane departure warning; ● Standard: Forward collision warning; ● Standard: Rear collision warning; ● Standard: Rear cross traffic alert; ● Standard: DOW door opening warning; ● Standard: Front cross traffic alert; ● Standard: Front cross traffic braking
Active Safety Warning System - Lane Departure Warning	● Standard: Lane departure warning

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Active Safety Warning System - Forward Collision Warning	● Standard: Forward collision warning
Rear collision warning	● Standard: Rear collision warning
Rear cross traffic alert	● Standard: Rear cross traffic alert
DOW door opening warning	● Standard: DOW door opening warning
Front cross traffic alert	● Standard: Front cross traffic alert
Front cross traffic braking	● Standard: Front cross traffic braking
Automatic Emergency Braking	Standard
Blind Spot Assist	Standard
Lane Keeping Assist	Standard
Lane Centering Assist	Standard
Driver Fatigue Warning	Standard
Active DMS Fatigue Detection	Standard
Cabin Vital-sign Detection	Optional
Traffic Sign Recognition	Standard
Traffic Light Recognition	Standard
Night Vision System	-
Passive Safety	-
Front Airbags (Summary)	● Standard: Driver seat; ● Standard: Passenger seat
Front Airbags - Driver	● Standard: Driver seat
Front Airbags - Front Passenger	● Standard: Passenger seat
Side Airbags (Summary)	● Standard: Front row
Side Airbags - Front Row	● Standard: Front row
Side Curtain Airbags	Standard
Front Knee Airbags	-
Center Airbag	-
Seat Belt Reminder	Standard
TPMS	Tire pressure display
ISOFIX	Standard
Passive Pedestrian Protection	-
Run-flat Tire	-
Driver Assistance / Control	-
Parking Radar (Summary)	● Standard: Front; ● Standard: Rear
Front	● Standard: Front
Parking Radar - Rear	● Standard: Rear
Front Vehicle Departure Reminder	Standard
Narrow Road Assistance	Standard
Driving Assistance Camera (Summary)	● Standard: Rear view camera; ● Standard: Side Blind-Spot Camera; ● Standard: 360-degree panoramic camera; ● Standard: Transparent view
Driving Assistance Camera - Reverse Camera	● Standard: Rear view camera
Side Blind Zone Camera	● Standard: Side Blind-Spot Camera
Driving Assistance Camera - 360° Panoramic Camera	● Standard: 360-degree panoramic camera
Driving Assistance Camera - Transparent Chassis View	● Standard: Transparent view
Cruise System (Summary)	● Standard: Cruise control; ● Standard: Adaptive cruise control; ● Standard: Full-speed adaptive cruise control
Cruise System - Option	● Standard: Cruise control
Cruise System - Adaptive Cruise Control	● Standard: Adaptive cruise control
Cruise System - Full-speed Adaptive Cruise Control	● Standard: Full-speed adaptive cruise control
Automatic Lane Change Assist	Standard
Automatic Ramp Exit / Entry	Standard
Navigation Assisted Driving	● Standard: Highway navigation assist; ● Standard: Urban navigation assist
Highway navigation assist	● Standard: Highway navigation assist
Urban navigation assist	● Standard: Urban navigation assist
ADAS Level	L2

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Automatic Parking	Standard
Reverse Path Tracking	Standard
Memory Parking	Standard
Auto Hold	Standard
Hill Start Assist (HAC)	Standard
Hill Descent Control (HDC)	Standard
Engine SAS Tech	-
Variable Suspension	Damping stiffness adjustment
Air Suspension	-
Air Suspension Type	-
Electromagnetic Suspension	-
Variable Steering Ratio	-
Front Axle Limited-slip Type	-
Rear Axle Limited-slip Type	-
Center Differential Lock	-
Four WD LOW	-
Active Rear Steering	-
Drive Mode Selection (Summary)	● Standard: Sport; ● Standard: Snow; ● Standard: unitPersonalized; ● Standard: Standard Comfort; ● Standard: ECO/Economy
Drive Mode Selection - Sport	● Standard: Sport
Drive Mode Selection - Snow	● Standard: Snow
Drive Mode Selection - Custom	● Standard: unitPersonalized
Drive Mode Selection - Standard / Comfort	● Standard: Standard Comfort
Drive Mode Selection - ECO	● Standard: ECO/Economy
LaunchMode	-
Brake Energy Recovery	Standard
Comfortable Braking	Standard
Low-speed Warning Sound	Standard
Exterior Features	-
Sunroof Type	Panoramic glass roof
Smart Dimming Roof	-
Roof Rack	-
Sport Appearance Package	-
Power Spoiler	-
Active Grille Shutters	Standard
Alloy Wheels	Standard
Side Steps	-
Frameless Doors	Standard
Hidden Door Handles	Standard
Tow Hook	-
Interior Features	-
Steering Wheel Material (Summary)	● Standard: Leather
Steering Wheel Material - Option	● Standard: Leather
Genuine leather	-
Steering Wheel Adjustment	Tilt and telescopic
Power Steering Wheel Adjustment	-
Steering Wheel Functions (Summary)	● Standard: Multifunction controls; ● Standard: Heating
Steering Wheel Functions - Multi-function Control	● Standard: Multifunction controls
Heating	● Standard: Heating
Gear Selector Type (Summary)	● Standard: Electronic column shifter
Gear Selector Type - Option	● Standard: Electronic column shifter
LCD Cluster Style	Full LCD
LCD Cluster Size (in) (Summary)	● Standard: 10.25

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
10.2	-
10.25	● Standard: 10.25
Comfort / Anti-theft	-
Soft-close Doors	-
Power Tailgate	Standard
Hands-free Tailgate	-
Tailgate Position Memory	Standard
Engine Anti Theft	Standard
Central Locking	Standard
Remote Key Type (Summary)	● Standard: Phone Bluetooth key; ● Standard: NFC/RFID key; ● Standard: UWBDigital key
Remote Key Type - Smart Remote Key	-
Remote Key Type - Bluetooth Key	● Standard: Phone Bluetooth key
Remote Key Type - NFC/RFID Key	● Standard: NFC/RFID key
UWBDigital key	● Standard: UWBDigital key
Keyless Entry	Front row
Keyless Start	Standard
Remote Start	Standard
Remote Vehicle Move	Standard
Vehicle Summon	-
Head-up Display (HUD)	-
Built-in Driving Recorder	Standard
Active Noise Cancellation	Standard
Wireless Phone Charging	Standard
Wireless Charging MAX Power (Summary)	50
Wireless Charging MAX Power 50	50
AC Power Outlet	-
Cargo 12V Power Outlet	Standard
Seat Features	-
Seat Material	Synthetic leather
SeatsLeatherStyle	-
Sport Seats	-
Seat Layout	● Standard: 2+3
Layout Seat 4 - 2+3	● Standard: 2+3
Second-row Independent Seats	-
Third-row Seats	-
Power Seat Adjustment (Summary)	● Standard: Driver seat; ● Standard: Passenger seat
Power Seat Adjustment - Driver	● Standard: Driver seat
Seat Power Adjustment - Front Passenger	● Standard: Passenger seat
Sunken Rear Seat Folding	-
Driver Seat Main Adjustments (Summary)	● Standard: Fore-aft adjustment; ● Standard: Backrest angle; ● Standard: Height adjustment
Driver Seat Main Adjustments - Fore / Aft	● Standard: Fore-aft adjustment
Driver Seat Main Adjustments - Backrest Angle	● Standard: Backrest angle
Driver Seat Main Adjustments - Height Adjustment	● Standard: Height adjustment
Driver Seat Fine Adjustments (Summary)	● Standard: Headrest; ● Standard: lumbar
Driver Seat Fine Adjustments - Headrest	● Standard: Headrest
Lumbar	● Standard: lumbar
Front Passenger Seat Main Adjustments (Summary)	● Standard: Fore-aft adjustment; ● Standard: Height adjustment; ● Standard: Backrest angle
Front Passenger Seat Main Adjustments - Fore / Aft	● Standard: Fore-aft adjustment
Height adjustment	● Standard: Height adjustment
Front Passenger Seat Main Adjustments - Backrest Angle	● Standard: Backrest angle
Front Passenger Seat Fine Adjustments (Summary)	● Standard: Headrest
Front Passenger Seat Fine Adjustments - Headrest	● Standard: Headrest

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Lumbar	-
Second-row Seat Main Adjustments (Summary)	● Standard: Backrest angleAdjustment
Second-row Seat Main Adjustments - Option	● Standard: Backrest angleAdjustment
Second-row Seat Fine Adjustments	-
Front Seat Functions	● Standard: Heating; ● Standard: Ventilation; ● Standard: Memory
Front Seat Functions - Option	● Standard: Heating
Ventilation	● Standard: Ventilation
Memory	● Standard: Memory
Massage	-
Second-row Seat Functions	-
Heating	-
Third-row Seat Functions	-
Boss Key	-
Front / Rear Armrests (Summary)	● Standard: Front row; ● Standard: Rear row
Front / Rear Armrests - Front Row	● Standard: Front row
Rear row	● Standard: Rear row
Rear Cup Holder	Standard
Heated / Cooled Cup Holder	-
Front Seats Flattened	Standard
Rear Seat Folding Ratio	40:60
Power-folding Rear Seats	-
Second-row Tray Table	-
Optional Package	-
Center Screen Size (in)	15.6
Center Screen Material	● Standard: LCD
Center Console Screen Material 2 - LCD	● Standard: LCD
Center Screen Resolution (Summary)	2.5K
2.5K	2.5K
Satellite Navigation	Standard
AR Navigation	-
Navigation Traffic Display	Standard
MAP Brand (Summary)	● Standard: Amap
Amap	● Standard: Amap
Roadside Assistance	Standard
Bluetooth / Car Phone	Standard
Phone Mirroring (Summary)	● Standard: HUAWEI HiCar; ● Standard: Carlink; ● Standard: Factory system
Phone Mirroring - HUAWEI HiCar	● Standard: HUAWEI HiCar
Phone Mirroring - Carlink	● Standard: Carlink
Phone Mirroring - Factory System	● Standard: Factory system
Connected Car	Standard
Mobile Network (Summary)	● Standard: 5G
5G	● Standard: 5G
Mobile Network - 4G	-
OTA Upgrade	Standard
Face Recognition	Standard
Fingerprint Recognition	-
Voiceprint Recognition	-
Emotion Recognition	-
Voice Recognition Control	Standard
Wake-word-free Voice Control	Standard
Voice Wake-up by Zone (Summary)	● Standard: Four-zone voice recognition
Voice Wake-up by Zone - Four Zones	● Standard: Four-zone voice recognition
Continuous Voice Recognition	Standard

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Visible-to-speak Control	Standard
Voice Assistant Wake-up Phrase	HelloSmallP
Gesture Control	-
Wi-Fi Hotspot	Standard
Lighting	-
Multi-finger Screen Control	-
App Store	Standard
Media Interface (Summary)	● Standard: USB/Type-C
Media Interface - USB/Type-C	● Standard: USB/Type-C
USB/Type-C Port Count (Summary)	● Standard: Front row: 2; ● Standard: Rear row: 2
USB/Type-C Port Count - 2 Front	● Standard: Front row: 2
USB/Type-C Port Count - 1 Rear	● Standard: Rear row: 2
USB/Type-C Max Charging Power	Front row60W; Rear row15W
Front row: 60 W	Front row: 60 W
Rear row: 15 W	Rear row: 15 W
In-car TV	-
Rear LCD Screen	-
Simulated Engine Sound	-
Karaoke	Standard
Audio Brand	-
Number of Speakers	18
Sound System Layout	7.1.4
Amplifier Max Output Power (W)	-
960	-
Seat Speakers (Headrest / Shoulder)	Standard
SKY Sound Channel	Standard
Rear Multimedia Controls	-
Air Conditioning / Refrigerator	-
Low Beam	LED
High Beam	LED
Daytime Running Lights	Standard
Adaptive High / Low Beam	Standard
Automatic Headlights	Standard
Cornering Lights	-
Front Fog Lights	-
Adaptive Front-lighting System (AFS)	-
Headlight Height Adjustment	Standard
Headlight Washers	-
Ambient Lighting	Multi-color
Active Ambient Lighting	● Standard
Standard	● Standard
Special Lighting Functions	-
Lighting Projection Technology	-
Headlight Delay-off	Standard
Headlamp Rain / Fog Mode	-
SummercomfortsetTrim	-
Power Windows (Summary)	● Standard: Front row; ● Standard: Rear row
Power Windows - Front Row	● Standard: Front row
Power Windows - Option	● Standard: Rear row
One-touch Windows	All windows
Anti-pinch Windows	Standard
Exterior Mirror Functions (Summary)	● Standard: Power adjustment; ● Standard: Heating; ● Standard: Power folding; ● Standard: Memory; ● Standard: ReverseAutomaticilt-down; ● Standard: Auto-fold on lock

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Exterior Mirror Functions - Option	● Standard: Power adjustment
Exterior Mirror Functions - Heating	● Standard: Heating
Exterior Mirror Functions - Power Folding	● Standard: Power folding
Memory	● Standard: Memory
ReverseAutomatictilt-down	● Standard: ReverseAutomatictilt-down
Exterior Mirror Functions - Auto Fold on Lock	● Standard: Auto-fold on lock
Interior Mirror Functions	-
Automatic anti-glare	-
Streaming Media	-
Vanity Mirror (Summary)	● Standard: Driver seat+with lighting; ● Standard: Passenger seat+with lighting
Vanity Mirror - Option	● Standard: Driver seat+with lighting
Vanity Mirror - Option	● Standard: Passenger seat+with lighting
Rear Privacy Glass	-
Interior Sunshade	-
Rain-sensing Wipers	Standard
Rear Wiper	Standard
Rear Window Open Method	-
Multi-layer Acoustic Glass	Front row
Heated Windshield	-
Heated Washer Nozzles	-
Optional Package	-
A/C Control Type	Automatic
Rear Independent A/C	-
Rear Air Vents	Standard
Temperature Zone Control	● Standard: Dual-zone climate control
Dual-zone climate control	● Standard: Dual-zone climate control
In-car Air Purifier	Standard
Cabin PM2.5 Filter	Standard
Negative-ion Generator	-
Fragrance System	-
AQS Air Quality Management	-
On-board Refrigerator	-
Refrigerator Functions	-

Smart Features

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
ADAS Operating System (Summary)	● Standard: XNGP
XNGP	● Standard: XNGP
XPILOT	-
Driver Assistance Chip	● Standard: Turing; ■ Optional: Turing*2
Turing	● Standard: Turing
Turing*2	■ Optional: Turing*2
NVIDIA DRIVE Orin X*2	-
NVIDIA DRIVE Orin X	-
Driver Assistance Chip Computing Power (TOPS)	● Standard: 750; ■ Optional: 1500
254	-
508	-
750	● Standard: 750
1500	■ Optional: 1500
CAR Intelligent System (Summary)	● Standard: Dimensity AIOS
Dimensity AIOS	● Standard: Dimensity AIOS
XOS Dimensity	-

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
Vehicle Smart Chip	● Standard: MT8676; ■ Optional: MT8676&Turing
MT8676	● Standard: MT8676
MT8676&Turing	■ Optional: MT8676&Turing
Qualcomm Snapdragon 8295	-
highthroughSnapdragon8155P	-
Infotainment System Memory (GB)	-
CAR System Memory 16	-
Infotainment System Storage (GB)	-
CAR System Storage 128	-
256	-
Mobile App Remote Control (Summary)	● Standard: Vehicle monitoring; ● Standard: Remote control; ● Standard: Charging management; ● Standard: Service appointment; ● Standard: Digital key
Mobile App Remote Control - Vehicle Monitoring	● Standard: Vehicle monitoring
Mobile App Remote Control	● Standard: Remote control
Mobile App Remote Control - Charging Management	● Standard: Charging management
Mobile App Remote Control - Service Appointment	● Standard: Service appointment
Mobile App Remote Control - Digital Key	● Standard: Digital key
Heat Pump System	Standard
Number of Exterior Cameras	11
Exterior Camera Resolution	-
80010k*2unit,20010k*9unit	-
Interior Camera Count	● Standard: 1; ■ Optional: 2
Incar Camera Count 1	● Standard: 1
Incar Camera Count 2	■ Optional: 2
Interior Camera Resolution	-
Number of Ultrasonic Radars	12
Millimeter Wave Radar	3
Laser Radar	-
LiDAR Brand	-
SpeedTengju Chuang	-
LiDAR Line Count (Lines)	-
96	-
Sub-meter High-precision Positioning	Standard
High-precision Map	-
Sentinel Mode	Standard
V2X Communication	-
Optional Package	-
Custom Options	Optional exterior, interior, wheels, brakes; 3typeOptional Package
Optional Package	● Standard: assistDrivingTuringAlchip*2Unit(Effective Computing Power 1500TOPS), Second GenerationVLA, OMSCabinInteriorCamera; ■ Optional: Optional (RMB 12,000)
Ultra SEsmartLLevelPackage	assistDrivingTuringAlchip*2Unit(Effective Computing Power 1500TOPS), Second GenerationVLA, OMSCabinInteriorCamera
Ultra SEsmartLLevelPackage	■ Optional: Optional (RMB 12,000)
HALO Interactive Screen	● Standard: assistDrivingTuringAlchip*2Unit(Effective Computing Power 1500TOPS), smartCockpitTuringAlchip*1Unit(Effective Computing Power 750TOPS), Second GenerationVLA, OMSCabinInteriorCamera, FaceIDEntryandManagement, SmallPButler(VehicleTerminalVLMHighModel, FullAll-Weather Active Service, FullFieldviewFree Conversation); ■ Optional: Optional (RMB 20,000)
UltrasmartLLevelPackage	assistDrivingTuringAlchip*2Unit(Effective Computing Power 1500TOPS), smartCockpitTuringAlchip*1Unit(Effective Computing Power 750TOPS), Second GenerationVLA, OMSCabinInteriorCamera, FaceIDEntryandManagement, SmallPButler(VehicleTerminalVLMHighModel, FullAll-Weather Active Service, FullFieldviewFree Conversation)
UltrasmartLLevelPackage	■ Optional: Optional (RMB 20,000)
Front rowDualZero GravitySeats	● Standard: 20inchFive-spokewheels(with255/45 R20 high-performanceBrandtire); ■ Optional: Optional (RMB 6,000)
wheels/tireLLevelpackage	20inchFive-spokewheels(with255/45 R20 high-performanceBrandtire)
wheels/tireLLevelpackage	■ Optional: Optional (RMB 6,000)
IntelligentInductionPowerDoorPackage	-

Parameter	XPeng G6 2026 Extended RangeRange 1704 Max
SportPerformancePackage	-
SportPerformancePackage	-
Intelligent WelcomePackage	● Standard: NightBlackVehiclePaint, BlackcolorPackage(Fore-aftVehicleBadge/Letter Badge, Water Cut, FrontFender/FrontDoorsmartDrivingCameraTrim), 20inchBlackBlackFive-spokewheels(with255/45 R20high-performanceBrandtire), BlackBlackBrake Calipers; ■ Optional: Optional (RMB 6,000)
BlackSamuraiLLevelpackage	NightBlackVehiclePaint, BlackcolorPackage(Fore-aftVehicleBadge/Letter Badge, Water Cut, FrontFender/FrontDoorsmartDrivingCameraTrim), 20inchBlackBlackFive-spokewheels(with255/45 R20high-performanceBrandtire), BlackBlackBrake Calipers
BlackSamuraiLLevelpackage	■ Optional: Optional (RMB 6,000)