

XPeng P7 2020 562E Performance version Specifications

Basic Information

| Parameter | XPeng P7 2020 562E Performance version |
|---|--|
| Official Price | RMB 349,900 |
| Manufacturer | XPeng Vehicle |
| Class | mid-large Vehicle |
| Energy Type | Pure Electric |
| Market Time | 2020.04 |
| Electric Description | Pure Electric 430 hp |
| CLTC Range | 562 |
| Nedc Recharge Mileage | - |
| Wltc Recharge Mileage | - |
| CLTC Pure Electric Range (km) | - |
| High-Voltage Fast Charging Platform | - |
| 500 | - |
| 800 | - |
| Charging Time | Fast charge 36 min; Slow charge 6.5 h |
| Fast Charging Window (%) | 80 |
| Maximum Power (kW) | 316(430Ps) |
| Maximum Torque (N·m) | 655 |
| Transmission Description | EV single-speed transmission |
| Length x Width x Height (mm) | 4880x1896x1450 |
| Body Structure | 4-door 5-seat sedan |
| Top Speed (km/h) | 170 |
| Official 0-100 km/h Acceleration (s) | 4.3 |
| Energy Consumption (kWh/100km) | 16 |
| Equivalent Fuel Consumption (L/100km) | - |
| Vehicle Warranty | 5 years or 120,000 km |
| Estimated Maintenance Cost over 60,000 km | RMB 3,229 |

Body

| Parameter | XPeng P7 2020 562E Performance version |
|-------------------------------|--|
| Length (mm) | 4880 |
| Width (mm) | 1896 |
| Height (mm) | 1450 |
| Wheelbase (mm) | 2998 |
| Front Track (mm) | 1615 |
| Rear Track (mm) | 1621 |
| Minimum Ground Clearance (mm) | - |
| Body Structure | sedan |
| Number of Doors | 4 |
| Door Opening Type | Hinged doors |
| Seats | 5 |
| Curb Weight (kg) | 2060 |
| Gross Weight (kg) | 2435 |
| Front Cargo Volume (L) | - |
| Cargo Volume (L) | 440 |
| Minimum Turning Radius (m) | - |
| Drag Coefficient (Cd) | 0.236 |

Electric Motor

| Parameter | XPeng P7 2020 562EPerformanceversion |
|------------------------------|--------------------------------------|
| Electric Description | Pure Electric 430 hp |
| Motor Type | Permanent magnet synchronous |
| Total Motor Power | 316 |
| Total Motor Horsepower (Ps) | 430 |
| Total Motor Torque | 655 |
| Front Motor Max Power (kW) | 120 |
| Front Motor Max Torque (N·m) | 265 |
| Rear Motor Max Power (kW) | 196 |
| Rear Motor Max Torque (N·m) | 390 |
| Drive Motor Count | Dual motor |
| Motor Layout | Front-mounted+Rear-mounted |

Battery / Charging

| Parameter | XPeng P7 2020 562EPerformanceversion |
|---------------------------------------|---|
| Battery Type | Ternary lithium battery |
| Battery Special Technology | - |
| Cell Brand | CATL, CALB, EVElithium energy |
| Battery Warranty | 8 years or 150,000 km |
| Battery Capacity | 80.9 |
| Battery Energy Density (Wh/kg) | 161.0 |
| Battery Charging Rate | - |
| 5 | - |
| Battery Charging (Summary) | ● Standard: Fast charge 36 min; ● Standard: Slow charge 6.5 h; ● Standard: Fast charging port |
| Charging Time | Fast charge 36 min; Slow charge 6.5 h |
| Battery Charging - Fast Charging Port | ● Standard: Fast charging port |
| MAX Fast Charge Power | - |
| Fast Charging Port Position (Summary) | - |
| Fast Charging Port Position - Option | - |
| Slow Charging Port Position (Summary) | - |
| Slow Charging Port Position - Option | - |
| Left Fuel Tank Position | - |
| Battery Heating System | Standard |
| Battery Cooling System | Liquid cooling |
| One-pedal Mode | Standard |
| VTOL Mobile Power Station | Standard |
| VTOL Maximum External Discharge Power | - |
| VTOV Maximum External Discharge Power | - |

Transmission

| Parameter | XPeng P7 2020 562EPerformanceversion |
|--------------------------|--------------------------------------|
| Transmission Description | EV single-speed transmission |
| Number of Gears | 1 |
| Transmission Type | Fixed Gear Ratio Transmission |

Chassis / Steering

| Parameter | XPeng P7 2020 562EPerformanceversion |
|-----------------------|--|
| Drive Type | Dual motor4WD |
| Four-wheel-drive Type | Electric AWD |
| Front Suspension | double wishbone independent suspension |
| Rear Suspension | Multi-link independent suspension |

| Parameter | XPeng P7 2020 562EPerformanceversion |
|------------------------|--------------------------------------|
| Steering Type | Electric power steering |
| Vehicle Body Structure | Unibody |

Wheels / Brakes

| Parameter | XPeng P7 2020 562EPerformanceversion |
|--|---|
| Front Brake Type | Ventilated disc |
| Rear Brake Type | Ventilated disc |
| Parking Brake Type | Electronic parking brake |
| Front Tire Size | 245/45 R19 |
| Rear Tire Size | 245/45 R19 |
| Spare Tire Specification | - |
| Passive Safety | - |
| ABS | Standard |
| Brake-force Distribution (EBD/CBC) | Standard |
| Brake Assist (EBA/BA) | Standard |
| Traction Control (TCS/ASR) | Standard |
| Body Stability System (ESP/DSC) | Standard |
| Active Safety Warning System | ● Standard: Lane departure warning; ● Standard: Forward collision warning; ● Standard: Rear collision warning; ● Standard: Rear cross traffic alert; ● Standard: DOW door opening warning |
| Active Safety Warning System - Lane Departure Warning | ● Standard: Lane departure warning |
| Active Safety Warning System - Forward Collision Warning | ● Standard: Forward collision warning |
| Rear collision warning | ● Standard: Rear collision warning |
| Rear cross traffic alert | ● Standard: Rear cross traffic alert |
| DOW door opening warning | ● Standard: DOW door opening warning |
| Front cross traffic alert | - |
| Front cross traffic braking | - |
| Automatic Emergency Braking | Standard |
| Blind Spot Assist | Standard |
| Lane Keeping Assist | Standard |
| Lane Centering Assist | Standard |
| Driver Fatigue Warning | Standard |
| Active DMS Fatigue Detection | - |
| Cabin Vital-sign Detection | - |
| Traffic Sign Recognition | Standard |
| Traffic Light Recognition | - |
| Night Vision System | - |
| Passive Safety | - |
| Front Airbags (Summary) | ● Standard: Driver seat; ● Standard: Passenger seat |
| Front Airbags - Driver | ● Standard: Driver seat |
| Front Airbags - Front Passenger | ● Standard: Passenger seat |
| Side Airbags (Summary) | ● Standard: Front row |
| Side Airbags - Front Row | ● Standard: Front row |
| Side Curtain Airbags | Standard |
| Front Knee Airbags | - |
| Center Airbag | - |
| Front row | - |
| Seat Belt Reminder | Standard |
| TPMS | Tire pressure display |
| ISOFIX | Standard |
| Passive Pedestrian Protection | - |
| Run-flat Tire | - |
| Driver Assistance / Control | - |

| Parameter | XPeng P7 2020 562E Performance version |
|--|---|
| Parking Radar (Summary) | ● Standard: Front; ● Standard: Rear |
| Front | ● Standard: Front |
| Parking Radar - Rear | ● Standard: Rear |
| Front Vehicle Departure Reminder | - |
| Narrow Road Assistance | - |
| Driving Assistance Camera (Summary) | ● Standard: Rear view camera; ● Standard: 360-degree panoramic camera; ● Standard: Transparent view |
| Driving Assistance Camera - Reverse Camera | ● Standard: Rear view camera |
| Side Blind Zone Camera | - |
| Driving Assistance Camera - 360° Panoramic Camera | ● Standard: 360-degree panoramic camera |
| Driving Assistance Camera - Transparent Chassis View | ● Standard: Transparent view |
| Cruise System (Summary) | ● Standard: Cruise control; ● Standard: Adaptive cruise control; ● Standard: Full-speed adaptive cruise control |
| Cruise System - Option | ● Standard: Cruise control |
| Cruise System - Adaptive Cruise Control | ● Standard: Adaptive cruise control |
| Cruise System - Full-speed Adaptive Cruise Control | ● Standard: Full-speed adaptive cruise control |
| Automatic Lane Change Assist | Standard |
| Automatic Ramp Exit / Entry | Standard |
| Navigation Assisted Driving | - |
| Highway navigation assist | - |
| Urban navigation assist | - |
| ADAS Level | L2 |
| Automatic Parking | Standard |
| Reverse Path Tracking | - |
| Memory Parking | Optional |
| Auto Hold | Standard |
| Hill Start Assist (HAC) | Standard |
| Hill Descent Control (HDC) | - |
| Variable Suspension | - |
| Air Suspension | - |
| Air Suspension Type | - |
| Dual Chamber | - |
| Electromagnetic Suspension | - |
| Variable Steering Ratio | - |
| Front Axle Limited-slip Type | - |
| Rear Axle Limited-slip Type | - |
| Center Differential Lock | - |
| Active Rear Steering | - |
| Drive Mode Selection (Summary) | ● Standard: Sport; ● Standard: ECO/Economy; ● Standard: Standard Comfort |
| Drive Mode Selection - Sport | ● Standard: Sport |
| Drive Mode Selection - Snow | - |
| Drive Mode Selection - Custom | - |
| Drive Mode Selection - ECO | ● Standard: ECO/Economy |
| Drive Mode Selection - Standard / Comfort | ● Standard: Standard Comfort |
| LaunchMode | - |
| Track | - |
| Brake Energy Recovery | Standard |
| Comfortable Braking | - |
| Low-speed Warning Sound | Standard |
| Interior Features | - |
| Sunroof Type | Segmented fixed sunroof |
| Smart Dimming Roof | - |
| Roof Rack | - |

| Parameter | XPeng P7 2020 562E Performance version |
|---|---|
| Sport Appearance Package | - |
| Power Spoiler | - |
| Active Grille Shutters | - |
| Alloy Wheels | Standard |
| Frameless Doors | Standard |
| Hidden Door Handles | Standard |
| Tow Hook | - |
| Comfort / Anti-theft | - |
| Steering Wheel Material (Summary) | ● Standard: Genuine leather |
| Genuine leather | ● Standard: Genuine leather |
| Steering Wheel Adjustment | Tilt and telescopic |
| Power Steering Wheel Adjustment | - |
| Steering Wheel Functions (Summary) | ● Standard: Multifunction controls |
| Steering Wheel Functions - Multi-function Control | ● Standard: Multifunction controls |
| Memory | - |
| Heating | - |
| Gear Selector Type (Summary) | - |
| Gear Selector Type - Option | - |
| LCD Cluster Style | Full LCD |
| LCD Cluster Size (in) (Summary) | ● Standard: 10.25 |
| LCD Instrument Cluster Size - 8.8 in | - |
| 10.25 | ● Standard: 10.25 |
| LCD Instrument Resolution | - |
| 1920x720 | - |
| Instrument Cluster Screen Pixel Density(PPI) | - |
| 200 | - |
| Exterior Features | - |
| Soft-close Doors | - |
| PowerSwing/Swing-Up Door | - |
| Power Tailgate | - |
| Hands-free Tailgate | - |
| Tailgate Position Memory | - |
| Central Locking | Standard |
| Remote Key Type (Summary) | ● Standard: Smart remote key; ● Standard: NFC/RFID key; ● Standard: Phone Bluetooth key |
| Remote Key Type - Smart Remote Key | ● Standard: Smart remote key |
| Remote Key Type - NFC/RFID Key | ● Standard: NFC/RFID key |
| Remote Key Type - Bluetooth Key | ● Standard: Phone Bluetooth key |
| UWB Digital key | - |
| Keyless Entry | All windows |
| Keyless Start | Standard |
| Remote Start | Standard |
| Remote Vehicle Move | Standard |
| Vehicle Summon | - |
| Head-up Display (HUD) | - |
| AR HUD | - |
| Built-in Driving Recorder | - |
| Factory ETC | - |
| Active Noise Cancellation | - |
| Wireless Phone Charging | Standard |
| Wireless Charging MAX Power (Summary) | - |
| 15 | - |
| Wireless Charging MAX Power 50 | - |
| AC Power Outlet | Standard |

| Parameter | XPeng P7 2020 562E Performance version |
|--|--|
| Cargo 12V Power Outlet | - |
| Seat Features | - |
| Seat Material | Genuine leather |
| SeatsLeatherStyle | ● Standard: NappaGenuine leather |
| NappaGenuine leather | ● Standard: NappaGenuine leather |
| Sport Seats | - |
| Second-row Independent Seats | - |
| Zero Gravity Seat | - |
| Power Seat Adjustment (Summary) | ● Standard: Driver seat; ● Standard: Passenger seat |
| Power Seat Adjustment - Driver | ● Standard: Driver seat |
| Seat Power Adjustment - Front Passenger | ● Standard: Passenger seat |
| Sunken Rear Seat Folding | - |
| Driver Seat Main Adjustments (Summary) | ● Standard: Fore-aft adjustment; ● Standard: Backrest angle; ● Standard: Height adjustment |
| Driver Seat Main Adjustments - Fore / Aft | ● Standard: Fore-aft adjustment |
| Driver Seat Main Adjustments - Backrest Angle | ● Standard: Backrest angle |
| Driver Seat Main Adjustments - Height Adjustment | ● Standard: Height adjustment |
| Driver Seat Fine Adjustments (Summary) | ● Standard: lumbar |
| Lumbar | ● Standard: lumbar |
| Leg rest | - |
| Front Passenger Seat Main Adjustments (Summary) | ● Standard: Fore-aft adjustment; ● Standard: Height adjustment; ● Standard: Backrest angle |
| Front Passenger Seat Main Adjustments - Fore / Aft | ● Standard: Fore-aft adjustment |
| Height adjustment | ● Standard: Height adjustment |
| Front Passenger Seat Main Adjustments - Backrest Angle | ● Standard: Backrest angle |
| Front Passenger Seat Fine Adjustments (Summary) | - |
| Lumbar | - |
| Second-row Seat Main Adjustments (Summary) | - |
| Second-row Seat Fine Adjustments | - |
| Front Seat Functions | ● Standard: Heating; ● Standard: Ventilation(driver seat); ● Standard: Memory(driver seat) |
| Front Seat Functions - Option | ● Standard: Heating |
| Ventilation | - |
| Memory | - |
| Massage | - |
| Ventilation(driver seat) | ● Standard: Ventilation(driver seat) |
| Memory(driver seat) | ● Standard: Memory(driver seat) |
| Second-row Seat Functions | - |
| Heating | - |
| Boss Key | - |
| Front / Rear Armrests (Summary) | ● Standard: Front row; ● Standard: Rear row |
| Front / Rear Armrests - Front Row | ● Standard: Front row |
| Rear row | ● Standard: Rear row |
| Rear Cup Holder | Standard |
| Heated / Cooled Cup Holder | - |
| Rear Seat Folding Ratio | 40:60 |
| Second-row Tray Table | - |
| Audio / Entertainment | - |
| Center Screen Size (in) | 14.96 |
| Center Screen Material | - |
| Center Console Screen Material 2 - LCD | - |
| Center Screen Resolution (Summary) | - |
| 2400x1200 | - |
| Center Console ColorColorScreen Pixel Density(PPI) | - |
| 179 | - |

| Parameter | XPeng P7 2020 562E Performance version |
|-------------------------------------|---|
| Rotatable Center Screen | - |
| Satellite Navigation | Standard |
| AR Navigation | - |
| Navigation Traffic Display | Standard |
| MAP Brand (Summary) | - |
| Amap | - |
| Roadside Assistance | - |
| Bluetooth / Car Phone | Standard |
| Phone Mirroring (Summary) | - |
| Phone Mirroring - Carlink | - |
| Phone Mirroring - HUAWEI HiCar | - |
| Phone Mirroring - CarPlay | - |
| Phone Mirroring - Factory System | - |
| Connected Car | Standard |
| Mobile Network (Summary) | - |
| 5G | - |
| Mobile Network - 4G | - |
| OTA Upgrade | Standard |
| Face Recognition | Standard |
| Fingerprint Recognition | - |
| Voiceprint Recognition | - |
| Emotion Recognition | - |
| Voice Recognition Control | Standard |
| Wake-word-free Voice Control | - |
| Voice Wake-up by Zone (Summary) | ● Standard: single zone |
| Voice Wake-up by Zone - Four Zones | - |
| Voice Wake-up by Zone - Single Zone | ● Standard: single zone |
| Continuous Voice Recognition | - |
| Visible-to-speak Control | - |
| Voice Assistant Wake-up Phrase | HelloSmallIP |
| Gesture Control | - |
| Wi-Fi Hotspot | - |
| Windows / Mirrors | - |
| Multi-finger Screen Control | - |
| App Store | Standard |
| Media Interface (Summary) | ● Standard: USB/Type-C |
| Media Interface - USB/Type-C | ● Standard: USB/Type-C |
| USB/Type-C Port Count (Summary) | ● Standard: Front row: 2; ● Standard: Rear row: 2 |
| USB/Type-C Port Count - 2 Front | ● Standard: Front row: 2 |
| USB/Type-C Port Count - 1 Rear | ● Standard: Rear row: 2 |
| USB/Type-C Max Charging Power | - |
| Front row: 60 W | - |
| Rear row: 60 W | - |
| In-car TV | - |
| Rear LCD Screen | - |
| Rear rowScreen Size(Inch) | - |
| 8 | - |
| Simulated Engine Sound | - |
| Karaoke | Standard |
| Audio Brand | ● Standard: Dynaudio |
| Dynaudio | ● Standard: Dynaudio |
| Number of Speakers | ● Standard: 18 |
| 4 | - |

| Parameter | XPeng P7 2020 562E Performance version |
|---|--|
| 8 | - |
| 18 | - |
| 18 | ● Standard: 18 |
| 20 | - |
| 23 | - |
| 26 | - |
| Dolby Atmos | - |
| Sound System Layout | - |
| Amplifier Max Output Power (W) | - |
| 860 | - |
| Seat Speakers (Headrest / Shoulder) | - |
| SKY Sound Channel | - |
| Rear Multimedia Controls | - |
| Windows / Mirrors | - |
| Low Beam | LED |
| High Beam | LED |
| Daytime Running Lights | Standard |
| Adaptive High / Low Beam | Optional |
| Automatic Headlights | Standard |
| Cornering Lights | Standard |
| Front Fog Lights | - |
| Adaptive Front-lighting System (AFS) | - |
| Headlight Height Adjustment | Standard |
| Headlight Washers | - |
| Ambient Lighting | Multi-color |
| Active Ambient Lighting | - |
| Standard | - |
| Special Lighting Functions | - |
| Lighting Projection Technology | - |
| Headlight Delay-off | Standard |
| Headlamp Rain / Fog Mode | - |
| CO2 Heat pump A/C System | - |
| Power Windows (Summary) | ● Standard: Front row; ● Standard: Rear row |
| Power Windows - Front Row | ● Standard: Front row |
| Power Windows - Option | ● Standard: Rear row |
| One-touch Windows | All windows |
| Anti-pinch Windows | Standard |
| Exterior Mirror Functions (Summary) | ● Standard: Power adjustment; ● Standard: Heating; ● Standard: Power folding; ● Standard: Memory; ● Standard: Reverse Automatic tilt-down; ● Standard: Auto-fold on lock |
| Exterior Mirror Functions - Option | ● Standard: Power adjustment |
| Exterior Mirror Functions - Heating | ● Standard: Heating |
| Exterior Mirror Functions - Power Folding | ● Standard: Power folding |
| Memory | ● Standard: Memory |
| Reverse Automatic tilt-down | ● Standard: Reverse Automatic tilt-down |
| Exterior Mirror Functions - Auto Fold on Lock | ● Standard: Auto-fold on lock |
| Interior Mirror Functions | ● Standard: Automatic Anti-Glare |
| Automatic anti-glare | ● Standard: Automatic Anti-Glare |
| Streaming Media | - |
| Vanity Mirror (Summary) | ● Standard: Driver seat+with lighting; ● Standard: Passenger seat+with lighting |
| Vanity Mirror - Option | ● Standard: Driver seat+with lighting |
| Vanity Mirror - Option | ● Standard: Passenger seat+with lighting |
| Rear Privacy Glass | - |
| Interior Sunshade | - |

| Parameter | XPeng P7 2020 562E Performance version |
|----------------------------|--|
| Rain-sensing Wipers | - |
| Rear Wiper | - |
| Multi-layer Acoustic Glass | - |
| Heated Windshield | - |
| Heated Washer Nozzles | - |
| Lohas Package | - |
| A/C Control Type | Automatic |
| Rear Independent A/C | - |
| Rear Air Vents | Standard |
| Temperature Zone Control | ● Standard: Dual-zone climate control |
| Dual-zone climate control | ● Standard: Dual-zone climate control |
| In-car Air Purifier | Standard |
| Cabin PM2.5 Filter | Standard |
| Negative-ion Generator | Standard |
| Fragrance System | - |
| AQS Air Quality Management | - |
| On-board Refrigerator | - |
| Refrigerator Functions | - |

Smart Features

| Parameter | XPeng P7 2020 562E Performance version |
|---|---|
| ADAS Operating System (Summary) | ● Standard: XPILOT |
| XNGP | - |
| XPILOT | ● Standard: XPILOT |
| Driver Assistance Chip | - |
| Turing | - |
| Turing*2 | - |
| NVIDIA DRIVE Orin X | - |
| NVIDIA DRIVE Orin X*2 | - |
| NVIDIA DRIVE Xavier | - |
| Driver Assistance Chip Computing Power (TOPS) | ● Standard: 30 |
| 30 | ● Standard: 30 |
| 254 | - |
| 508 | - |
| 750 | - |
| 1500 | - |
| CAR Intelligent System (Summary) | ● Standard: Xmart OS |
| Dimensity AIOS | - |
| XOS Dimensity | - |
| Xmart OS | ● Standard: Xmart OS |
| Vehicle Smart Chip | - |
| Qualcomm Snapdragon 8295 | - |
| highthroughSnapdragon8295&Turing | - |
| highthroughSnapdragonSA8155P | - |
| highthroughSnapdragon8155P | - |
| Infotainment System Memory (GB) | - |
| 8 | - |
| Infotainment System Storage (GB) | - |
| CAR System Storage 128 | - |
| Mobile App Remote Control (Summary) | ● Standard: Digital key; ● Standard: Vehicle monitoring; ● Standard: Remote control; ● Standard: Charging management; ● Standard: Service appointment |
| Mobile App Remote Control - Digital Key | ● Standard: Digital key |

| Parameter | XPeng P7 2020 562E Performance version |
|--|--|
| Mobile App Remote Control - Vehicle Monitoring | ● Standard: Vehicle monitoring |
| Mobile App Remote Control | ● Standard: Remote control |
| Mobile App Remote Control - Charging Management | ● Standard: Charging management |
| Mobile App Remote Control - Service Appointment | ● Standard: Service appointment |
| Heat Pump System | - |
| Number of Exterior Cameras | 14 |
| Exterior Camera Resolution | - |
| 80010k*2unit,20010k*9unit | - |
| Interior Camera Count | - |
| Incar Camera Count 1 | - |
| Incar Camera Count 2 | - |
| Interior Camera Resolution | - |
| Number of Ultrasonic Radars | 12 |
| Millimeter Wave Radar | 5 |
| Laser Radar | - |
| LiDAR Brand | - |
| SpeedTengju Chuang | - |
| LiDAR Line Count (Lines) | - |
| 126 | - |
| Sub-meter High-precision Positioning | Standard |
| High-precision Map | - |
| Sentinel Mode | Standard |
| V2X Communication | - |
| Optional Package | - |
| Custom Options | Optional exterior, interior, wheels, brakes |
| Ultra SEsmartLLevelPackage | - |
| Ultra SEsmartLLevelPackage | - |
| Ultra SEsmartLLevelPackage | - |
| Optional Package | - |
| Ultra smartLLevelPackage | - |
| Ultra smartLLevelPackage | - |
| Optional Package | ● Standard: NGP smart navigation assist Driving, SRE environments simulated Display, Stop Vehicle Field Memory parking, IHB smart High beam light; ■ Optional: Optional (RMB 36,000) |
| XPILOT 3.0 Software and LLevel Service | NGP smart navigation assist Driving, SRE environments simulated Display, Stop Vehicle Field Memory parking, IHB smart High beam light |
| XPILOT 3.0 Software and LLevel Service | ■ Optional: Optional (RMB 36,000) |
| Convenience Charging Kit | - |
| Convenience Charging Kit | - |
| Convenience Charging Kit | - |
| Front row Frameless Vehicle Door | - |
| Front row Frameless Vehicle Door | - |
| Front row Frameless Vehicle Door | - |
| Platinum Audio System | - |
| Starlight Knight LLevel package | - |
| Starlight Knight LLevel package | - |
| smart music Cockpit Extended Range Performance Kit | - |
| smart music Cockpit Extended Range Performance Kit | - |
| smart music Cockpit Extended Range Performance Kit | - |
| Night Knight LLevel package | - |
| Night Knight LLevel package | - |
| Night Knight LLevel package | - |
| Special color Configuration | - |
| Comfort Liter LLevel Package | - |

| Parameter | XPeng P7 2020 562E Performanceversion |
|-----------------------------------|---------------------------------------|
| Poweropen/closeFrontPeng WingDoor | - |
| Transparent Chassis | ● Standard |
| Transparent Chassis | ● Standard |